

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
23 September 2004 (23.09.2004)


PCT

(10) International Publication Number
WO 2004/080426 A2

- (51) International Patent Classification⁷: **A61K** (US). KUMAR, Manoj [US/US]; 34256 Tupelo Street, Fremont, CA 94555 (US).
- (21) International Application Number: PCT/US2004/007758 (74) Agent: HAGAN, Timoty, W.; Dinsmor & Shohl LLP, One Dayton Centre-Suite 500, One South Main Street, Dayton, OH 45402-2023 (US).
- (22) International Filing Date: 12 March 2004 (12.03.2004)
- (25) Filing Language: English (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (26) Publication Language: English (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, OH 45402-2023 (US).
- (30) Priority Data: 60/454,077 12 March 2003 (12.03.2003) US
- (71) Applicants (for all designated States except US): DOW CORNING CORPORATION [US/US]; 2200 West Salzburg Road, Midland, MI 48686-0994 (US). GENENCOR INTERNATIONAL, INC [US/US]; 925 Page Mill Road, Palo Alto, CA 94304-1013 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): CUEVAS, William, A. [US/US]; 351 Hale Street, San Francisco, CA 94134

[Continued on next page]

(54) Title: USE OF REPEAT SEQUENCE PROTEIN POLYMERS IN PERSONAL CARE COMPOSITIONS



(57) Abstract: A personal care composition is provided and includes an effective amount of a repeat sequence protein polymer. The personal care composition may be a hair care composition, a skin care composition, a nail care composition, a cosmetic composition, or an over-the-counter pharmaceutical composition.

WO 2004/080426 A2

WO 2004/080426 A2



TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

- *without international search report and to be republished upon receipt of that report*

WO 2004/080426

PCT/US2004/007758

-2-

Accordingly, the present invention is directed to personal care compositions comprising an effective amount of a repeat sequence protein polymer. In one embodiment, the repeat sequence polymer comprises a repeating amino acid sequence unit derived from elastin, collagen, abductin, byssus, flagelliform silk, dragline silk, gluten
 5 high molecular weight subunit, titin, fibronectin, leminin, gliadin, glue polypeptide, ice nucleating protein, keratin mucin, RNA polymerase II, resalin or a mixture thereof.

In another embodiment of the of the invention, the repeat sequence protein polymer (RSPP) formula comprises:

$$T_y[(A_n)_x(B)_b(A'_n)_{x'}(B')_{b'}(A''_n)_{x''}]_iT'_{y'}$$

- 10 wherein: T and T' each comprise an amino acid sequence of from about 1 to about 100 amino acids, wherein the amino acid sequence of T' is the same as or different from the amino acid sequence of T; y and y' are each an integer from 0 to 1, wherein the integer of y' is the same as or different from the integer of y; A, A' and A'' are each individual repeating amino acid sequence units comprising from about 3 to about 30 amino acids,
 15 wherein the amino acid sequence of A' and the amino acid sequence of A'' are the same as or different from the amino acid sequence of A; n, n', and n'' are each integers of at least 2 and not more than 250; x, x' and x'' are each 0 or an integer of at least 1, wherein each integer varies to provide for at least 30 amino acids in the A', A' and A'' individual amino acid sequence repeating units, and wherein the integer of x' and the integer of x'' are the
 20 same as or different from the integer of x; B and B' each comprise an amino acid sequence of from about 4 to about 50 amino acids, wherein the amino sequence of B' is the same as or different from the amino acid sequence of B; b and b' are each an integer from 0 to 3, wherein the integer of b' is the same as or different from the integer of b; and i is an integer from 1 to 100.

- 25 In accordance with another embodiment of the present invention, the personal care composition comprises a hair care composition, a skin care composition, a nail care composition, a cosmetic composition, an over-the-counter pharmaceutical composition, or a combination thereof.

WO 2004/080426

PCT/US2004/007758

-3-

The personal care compositions comprising an effective amount of a repeat sequence protein polymer are advantageous in providing personal care products that have desired characteristic(s) without chemical modifications of the protein. These characteristics include but are not limited to, transparent film formation, hydrogel
5 formation, better efficacy and binding to skin, hair, nail and oral surfaces, desired level of hydrophobicity with water solubility, imparting luster, softness, moisture retainment, mechanical properties (such as tensile properties, viscoelastic behavior, glass transition temperature, cloud temperature, and decomposition temperature). Still other advantages of the present invention will become apparent to those skilled in the art from the following
10 detailed description where alternative exemplary embodiments of this invention are shown and described. As will be realized, the invention is capable of other different, obvious aspects and embodiments, all without departing from the invention. Accordingly, the drawings and descriptions should be regarded as illustrative in nature and not as restrictive.

15 Fig. 1 is a chart illustrating stress strain curves of a repeat protein polymer in accordance with an embodiment of the present invention.

Fig. 2 illustrate AFM image of SELP 47-K film showing self assembly into nanofilaments.

20 Fig. 3 illustrates SEM image of SELP 47-K film showing self assembly into nanofilaments.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The present invention is directed to personal care compositions comprising an effective amount of a repeat sequence protein polymer. For purposes of defining and describing the present invention, "repeat sequence protein polymer" (RSPP) refers to a
25 polymer comprising repeating amino acid sequence units, which repeating units are derived from a natural or synthetic protein. For example, the repeating sequence units may be derived from natural structure supporting materials such as silk, elastin, and

WO 2004/080426

PCT/US2004/007758

-4-

collagen. Alternatively, the repeating sequence units may be derived from synthetic structures.

For purposes of defining and describing the present invention, "personal care composition" refers to a product for application to the skin, hair, nails, oral cavity and
5 related membranes for the purposes of improving, cleaning, beautifying, therapeutically treating, caring for these surfaces and membranes.

For purposes of defining and describing the present invention, "an effective amount" refers to the amount of repeat sequence protein polymer which is added to a personal care composition to provide the composition with a desired characteristic or
10 characteristics.

For purposes of defining and describing the technology, the term "dispersed phase" is a term well-known to one skilled in the art of emulsion technology, which means that the phase exists as small particles or droplets that are suspended in and surrounded by a continuous phase. The dispersed phase is also known as the internal or discontinuous
15 phase.

One skilled in the art will appreciate the various naturally occurring proteins containing repeating sequence units which can be used for producing the repeat sequence protein polymers of the present invention, any of which may be employed herein. Specifically, there are more than six hundred repeating amino acid sequence units known
20 to exist in biological systems. For example, well known proteins containing repeating amino acid sequence units include abductin, elastin, byssus, flagelliform silk, dragline silk, gluten high molecular weight (HMW) subunit, titin, fibronectin, leminin, and collagen.

Individual repeating amino acid sequence units of particular interest include units found in silk-, elastin-, collagen-, abductin-, byssus-, gluten-, titin-, extensin-, and
25 fibronectin-like proteins. Silk-like proteins comprise a repeating sequence unit SGAGAG (SEQ ID NO. 1). This repeating sequence unit is found in naturally occurring silk fibroin protein, which can be represented as GAGAG(SGAGAG)₈SGAAGY (SEQ ID NO. 2). Elastin-like proteins comprise a base repeating sequence unit of GVGVP (SEQ ID NO. 3).

WO 2004/080426

PCT/US2004/007758

USE OF REPEAT SEQUENCE PROTEIN POLYMERS IN PERSONAL CARE COMPOSITIONS

The present invention relates to personal care compositions, and more particularly,
5 to personal care compositions comprising an effective amount of a repeat sequence protein polymer.

Proteins have been widely used as ingredients in personal care products to perform a variety of functions and to impart desired characteristics to product formulations. For example, proteins have been used to impart manageability and strength to hair, to
10 moisturize skin and hair, and to provide film formation to improve the appearance of skin and hair. Proteins have also been used to provide durability properties to many personal care products.

However, such proteins may not exhibit all desired characteristics when used in personal care products. For example, natural silk proteins may impart durability but may
15 also form tight, hard fibers that are not suitable for film formation. Also, many natural proteins have a low isoelectric point, which reduces the affinity of the protein for the negatively charged skin and hair. Additionally, when more than one protein is needed to impart all desired characteristics to a given formulation, the necessity of using more than one protein may increase the cost and production time for a given personal care product.

20 Furthermore, proteins generally have poor solubility due to high molecular weight and hydrophobicity. Commercially available proteins, including structural proteins such as silk and collagen, are typically chemically degraded giving a diverse mixture of molecular weight fragments with variable properties. As such, these proteins are often modified chemically to enhance solubility for inclusion in personal care products.
25 However, even chemically modified proteins may not have all desired characteristics.

Thus, there remains a need in the art for personal care compositions that have desired characteristics without chemical modification of the proteins. There also remains a need in the art for a method of delivering a protein into a personal care composition so as to effectively deliver the protein in a useable form.

WO 2004/080426

PCT/US2004/007758

-5-

This repeating sequence unit may be found in naturally occurring elastin. Collagen-like proteins comprise a repeating sequence unit of G-X-X¹, wherein X comprises any amino acid, often alanine or proline; and X¹ comprises any amino acid, often proline or hydroxyproline (SEQ ID NO. 20). In one embodiment, collagen-like protein comprises SEQ ID NO. 29. Abductin-like proteins comprise a base repeating sequence unit of GGFGGMGGGX, wherein X comprises any amino acid (SEQ ID NO. 4). Byssus-like proteins comprise a repeating sequence unit of GPGGG (SEQ ID NO. 5). Gluten-like proteins of the high molecular weight subunit comprise repeating sequence units of PGQQQQ (SEQ ID NO. 6), GYYPTSPQQ (SEQ ID NO. 7), and GQQ (SEQ ID NO. 8).

10 Titin-like proteins comprise repeating sequence units of PPAKVPEVPKKPVPEEKVPVPVPPKKPEA (SEQ ID NO. 9), which proteins may be found in the heart, psoas, and soleus muscle. Extensin-like proteins comprise repeating sequence units of SPPPPSPKYVYK (SEQ ID NO. 10). Fibronectin-like proteins comprise repeating sequence units of RGDS (SEQ ID NO. 11). Additional repeating

15 sequence units are found, for example, in gliadin, glue polypeptide, ice nucleating protein, keratin, mucin, RNA polymerase II, and resilin. Gliadin comprises a repeating sequence unit of PQQPY (SEQ ID NO. 12). The glue polypeptide comprises a repeating sequence unit of PTTTK (SEQ ID NO. 13). The ice nucleating protein comprises a repeating sequence unit of AGYGSTGT (SEQ ID NO. 14). Keratin comprises repeating

20 sequence units of YGGSSGGG (SEQ ID NO. 15) or FGGGS (SEQ ID NO. 16). Mucin comprises a repeating sequence unit of TTTPDV (SEQ ID NO. 17). RNA polymerase II comprises a repeating sequence unit of YSPTSPS (SEQ ID NO. 18).

In addition to repeating units derived from naturally occurring proteins, synthetic repeating amino acid sequences units may be utilized. In a particular embodiment, the

25 repeat sequence protein polymer has the formula:

$$T_y[(A_n)_x(B)_b(A'_n)_x(B'')_b(A''_n)_x]T_y'$$

wherein:

WO 2004/080426

PCT/US2004/007758

-6-

T and T' each comprise an amino acid sequence of from about 1 to about 100 amino acids, specifically an amino acid sequence of from about 1 to about 60 amino acids, and more specifically an amino acid sequence with fewer than 20% of the total number of amino acids in the repeat sequence protein polymer, wherein the amino acid
5 sequence of T' is the same as or different from the amino acid sequence of T;

y and y' are each an integer from 0 to 1, wherein the integer of y' is the same as or different from the integer of y;

A, A' and A'' are each individual repeating sequence units comprising from about 3 to about 30 amino acids, wherein the amino acid sequence of A' and the amino
10 acid sequence of A'' are the same as or different from the amino acid sequence of A;

n, n', and n'' are each integers of at least 2 and not more than 250;

x, x' and x'' are each 0 or an integer of at least 1, wherein each integer varies to provide for at least 30 amino acids in the A', A' and A'' individual repeating sequence units, and wherein the integer of x' and the integer of x'' are the same as or
15 different from the integer of x;

B and B' each comprise an amino acid sequence of from about 4 to about 50 amino acids, wherein the amino sequence of B' is the same as or different from the amino acid sequence of B;

b and b' are each an integer from 0 to 3, wherein the integer of b' is the same as or
20 different from the integer of b; and

i is an integer from 1 to 100, specifically from 1 to 50, and more specifically from 1 to 30.

Additionally, the repeat sequence protein polymer may comprise amino acid sequences that link the repeating A, A', and A'' units or amino acid sequences that link
25 between the individual A, A' or A'' repeating sequence units. In a particular embodiment, the linking sequences are from about 1 to about 10 amino acids.

WO 2004/080426

PCT/US2004/007758

-7-

One skilled in the art will appreciate the various methods for producing the repeat sequence protein polymers of the present invention, any of which may be employed herein. For example, the repeat sequence protein polymer may be produced by generally recognized methods of chemical synthesis, for example, L Andersson et. al., *Large-scale*
5 *synthesis of peptides*, Biopolymers 55(3), 227-50 (2000)); genetic manipulation (for example, J. Cappello, Genetically Engineered Protein Polymers, Handbook of Biodegradable Polymers, Domb, A.J.; Kost, J.; Wiseman, D. (Eds.), Harvard Academic Publishers, Amsterdam; pages 387-414); and enzymatic synthesis (for example, C.H. Wong & K.T. Wang, *New Developments in Enzymatic Peptide Synthesis*, Experientia
10 47(11-12), 1123-9 (1991)). For example, the repeat sequence protein polymers of the present invention may be produced using the methods described in U.S. Patent Nos. 5,243,038 and 6,355,776, the disclosures of which are incorporated by reference herein. In another example, the repeat sequence protein polymers may be produced utilizing non-ribosomal peptide synthase (for example, H.V.Dohren, et al., Multifunctional Peptide
15 Synthase, Chem.Rev. 97, 2675-2705(1997)). The repeat sequence protein polymers may also be produced on a commercial scale.

In producing the repeat sequence protein polymer, the repeating amino acid sequence units may comprise identical repeating sequence units or may comprise different repeating sequence unit combinations, which join together to form a block copolymer or
20 an alternating block copolymer. Additionally, in one embodiment, the individual repeating amino acid sequence units of the repeat sequence protein polymer comprise from about 3 to about 30 amino acids. In another embodiment, the individual repeating units comprise from about 3 to about 8 amino acids. Moreover, the same amino acid may appear at least twice in the same repeating sequence unit.

25 Repeat sequence protein polymers utilizing natural and/or synthetic repeating sequence units may be produced to provide various desirable characteristics. One skilled in the art will appreciate the various desirable characteristics for repeat sequence protein polymers, any of which may be employed herein. The characteristics may include, for example, moisturizing properties, adhesion, contraction, entrapment, high glass transition
30 temperature for hardness or strength, and/or to have a high cloud temperature for heat

-8-

sensitive applications, or a high isoelectric point to increase the affinity of the protein to hair, skin, and nails. Self-assembly and nanofilament formation properties may be used for skin anti-wrinkle and fineline filling applications. Additionally, the molecular weight of the protein may also be chosen in order to increase or decrease water solubility or other
5 properties as desired.

Furthermore, repeat sequence protein polymers are advantageous in providing personal care products when modified with desired chemical agents. RSPPs provide amino, hydroxyl and/or carboxyl functional groups that can be covalently reacted, conjugated, composited or ionically bonded with various personal care chemical and
10 formulating functional ingredients. These can include: UV absorbers such as octyl methoxycinnamate, benzophenone-3, titanium dioxide, and octyl salicylate; film-forming agents such as VP/Eicosene copolymer; cosmeceutical agents such as peptides and proteins, alpha hydroxy acids, and retinol and retinoic acid derivatives; antioxidants such as tocopherol and derivatives thereof and ascorbic acid and derivatives thereof; vitamins
15 such as B, D, K and their derivatives; antiperspirant actives such as aluminum hydroxide and zirconium hydroxide; depilating agents such as thioglycolate salts; anti-acne agents such as salicylic acid and benzoyl peroxide; abrasives and exfoliants such as silicates, pumice, and polyethylene; and extracts of plant, fruit, vegetable or marine sources.

It will also be understood by those having skill in the art that the synthetic repeat
20 sequence protein polymers of embodiments of the present invention may also be produced to have a combination of desirable characteristics. For example, a copolymer comprising silk repeating sequence units and elastin repeating sequence units may be synthesized to impart durability due to the silk repeating sequence units and to impart flexibility due to the elastin repeating sequence units. Additionally, the silk-elastin polymer may exhibit
25 other desirable properties such as good clear film and hydrogel formation, which the individual monomeric units may not exhibit. The silk elastin copolymer may be hydrophilic and water soluble. The silk elastin copolymer may also exhibit a high cloud temperature which is desirable in heat sensitive applications. The silk elastin copolymer may also have a high isoelectric point which may make the copolymer more substantive to

WO 2004/080426

PCT/US2004/007758

-9-

skin and hair. The silk elastin copolymer may further exhibit self assembly into fibers and films which may be desirable in some applications.

Such characteristics may be provided, for example, with the choice of repeating amino acid sequence units, the number of repeating sequence units in each multimer, the
5 spacing between the repeating sequence units, and the number of repeats of the multimer. For purposes of defining and describing the present invention, multimer refers to a portion of the repeat sequence protein polymer. Specifically, multimer refers to a portion of the repeat sequence protein polymer represented by $[(A_n)_x(B)_b(A'_n)_x(B')_b(A''_n)_x]_i$ in the above formula. The spacing between repeating sequence units refers to the other amino
10 acid sequences represented by B or B' in the above formula. In one embodiment, the copolymers are combinations of silk units and elastin units to provide silk-elastin copolymers having properties distinctive from polymers having only the same monomeric unit.

It will be further understood by those having skill in the art that the repeat
15 sequence protein polymers of the present invention may be monodispersed or polydispersed. For purposes of defining and describing the present invention, "monodispersed" polymers are polymers having a single defined molecular weight. For purposes of defining and describing the present invention, "polydispersed" polymers are polymers that have been subjected to proteolysis or other means of subdivision, and have a
20 distribution of molecular weights.

In accordance with an embodiment of the present invention, a silk-elastin polymer SELP47K (SEQ ID NO. 19) may be used as the repeat sequence protein polymer of the present invention. The SELP47K is a homoblock protein polymer that consists exclusively of silk-like crystalline blocks and elastin-like flexible blocks. SELP47K is
25 more linear than many proteins because it has a beta sheet two-dimensional structure rather than an alpha helix three-dimensional structure. SELP47K exhibits the ability to self-assemble by cross-linking of beta sheets into fibers. SELP47K is 70% proline, valine, and alanine, and has hydrophobic characteristics. Additionally, SELP47K has a high lysine ratio. In another embodiment, the repeat sequence protein polymer may comprise

WO 2004/080426

PCT/US2004/007758

-10-

SELP 47-E13 (SEQ ID NO. 25), SELP 47R-3 (SEQ ID NO. 26), SELP 47K-3 (SEQ ID NO. 27), SELP 47 E-3 (SEQ ID NO. 28), SELP 67K (SEQ ID NO. 30), and SELP 58 (SEQ ID NO. 31).

Once a suitable repeat sequence protein polymer has been synthesized and purified, an effective amount may be added to a personal care composition. Personal care products can be classified/described as cosmetic, over-the-counter ("OTC") pharmaceutical, or therapeutic. For example, the repeat sequence protein polymer may be added to a personal care composition such as a hair care composition, a skin care composition, a nail care composition, a cosmetic composition, an over-the-counter pharmaceutical composition or a combination thereof.

In one embodiment, the hair care composition is in a form selected from the group consisting of shampoo, conditioner, anti-dandruff treatments, styling aids, styling conditioner, hair repair or treatment serum, lotion, cream, pomade, and chemical treatments. In another embodiment, the styling aids are selected from the group consisting of spray, mousse, rinse, gel, foam and a combination thereof. In another embodiment, the chemical treatments are selected from the group consisting of permanent waves, relaxers, and permanent, semi-permanent, and temporary color treatments and combinations thereof. In another embodiment, the skin care composition is in a form selected from the group consisting of moisturizing body wash, body wash, antimicrobial cleanser, skin protectant treatment, body lotion, facial cream, moisturizing cream, facial cleansing emulsion, surfactant-based facial cleanser, facial exfoliating gel, facial toner, exfoliating cream, facial mask, after shave balm and sunscreen.

In another embodiment, the cosmetic composition is in a form selected from the group consisting of eye gel, high-melting point lipstick, lipstick, lip gloss, lip balm, mascara, eyeliner, pressed powder formulation and foundation. In a further embodiment, the cosmetic composition comprises a makeup composition. Makeup compositions include, but are not limited to color cosmetics, such as mascara, lipstick, lip liner, eye shadow, eye liner, rouge, face powder, make up foundation, and nail polish. In yet another embodiment, the nail care composition is in a form selected from the group consisting of

WO 2004/080426

PCT/US2004/007758

-11-

nail enamel, cuticle treatment, nail polish, nail treatment, and polish remover. In yet another embodiment, the oral care composition is in a form selected from the group consisting of toothpaste, mouth rinse, breath freshener, whitening treatment, and inert carrier substrates. In yet another embodiment, the over-the-counter pharmaceutical composition comprises sunscreen, anti-acne, antiperspirants, skin protectants, anti-dandruff products, anti-fungal, hemorrhoidal and toothpaste.

Moreover, the personal care composition may be in the form of an emulsified vehicle, such as a nutrient cream or lotion, a stabilized gel or dispersion system, such as skin softener, a nutrient emulsion, a nutrient cream, a massage cream, a treatment serum, a liposomal delivery system, a topical facial pack or mask, a surfactant-based cleansing system such as a shampoo or body wash, an aerosolized or sprayed dispersion or emulsion, a hair or skin conditioner, styling aid, or a pigmented product such as makeup in liquid, cream, solid, anhydrous or pencil form.

In a specific embodiment, the repeat sequence protein polymer SELP47K may be used in a personal care composition. Specifically, SELP47K may have application to hair care products because it may build body or volume, repair damage, or protect hair from chemical damage. SELP47K may also have application to skin care products to provide, for example, tightening or firming of the skin, moisturization, improved skin tone, oil absorption, or improvement in the appearance of fine lines and wrinkles. SELP47K may additionally provide eyelash flexibility, volume, length, and strength.

In one embodiment, the repeat sequence protein polymer comprises from about 0.001% to about 10% by weight of the personal care composition. In another embodiment, the repeat sequence protein polymer comprises from about 0.01% to about 5% by weight of the personal care composition. In yet another embodiment, the repeat sequence protein polymer comprises from about 0.01% to about 1% by weight of the personal care composition.

The personal care composition comprising an effective amount of a repeat sequence protein polymer, as set forth herein, may comprise additional components. For example, the personal care composition may comprise liposomes, which liposomes may

WO 2004/080426

PCT/US2004/007758

-12-

comprise, at least, water and one or more ingredients capable of forming lipid bilayer vesicles that can hold one or more functional or active ingredient(s). Non-limiting examples of ingredients capable of forming lipid bilayer vesicles include: phospholipids, hydrogenated phosphatidylcholine, lecithin, cholesterol and sphingolipids. Non-limiting

5 examples of functional or active ingredients that can be delivered from liposomes include: vitamins and their derivatives, antioxidants, proteins and peptides, keratolytic agents, bioflavinoids, terpenoids, phytochemicals, and extracts of plant, marine or fermented origin. In one embodiment, liposomes include, without limitation: a) lipid liposome 0003 (composed of water and lecithin and glycerin); b) lipid liposome 0300 (composed of

10 water and phosphatidylcholine), c) lipid liposome 0111 (composed of water, ginkgo balboa leaf extract, denatured alcohol, hydrogenated lecithin and cholesterol) d) anti-irritant liposomes (composed of water, cola acuminata seed extract, bisabolol and phospholipids), e) vitamin C and E liposomes (composed of water, phospholipids, tocopheryl acetate and ascorbyl palmitate), f) firming liposomes (composed of water,

15 butylene glycol, pyrus malus (Apple) fruit extract, phospholipids, tocopheryl acetate and carbomer) and g) moisturizing liposomes (composed of water, sodium PCA, tocopheryl acetate, xanthan gum, arginine, lysine, glycine and proline).

In another embodiment, the personal care composition may further comprise an active ingredient. One skilled in the art will appreciate the various active ingredients for

20 use in personal care compositions, any of which may be employed herein, see e.g., McCutcheon's Functional Materials, North American and International Editions, (2003), published by MC Publishing Co. For example, the personal care compositions herein may comprise a skin care active ingredient at a level from about 0.0001% to about 20%, by weight of the composition. In another embodiment, the personal care composition

25 comprises a skin care active ingredient from about 0.001% to about 5%, by weight of the composition. In yet another embodiment, the personal care composition comprises a skin care active ingredient from about 0.01% to about 2%, by weight of the composition.

Skin care active ingredients include, but are not limited to, antioxidants, such as tocopheryl and ascorbyl derivatives; bioflavinoids, terpenoids, synthetics of bioflavinoids

30 and terpenoids and the like; vitamins and vitamin derivatives; hydroxyl- and polyhydroxy

WO 2004/080426

PCT/US2004/007758

-13-

acids and their derivatives, such as AHAs and BHAs and their reaction products; peptides and polypeptides and their derivatives, such as glycopeptides and lipophilized peptides, heat shock proteins and cytokines; enzymes and enzymes inhibitors and their derivatives, such as proteases, MMP inhibitors, catalases, CoEnzyme Q10, glucose oxidase and superoxide dismutase (SOD); amino acids and their derivatives; bacterial, fungal and yeast fermentation products and their derivatives, including mushrooms, algae and seaweed and their derivatives; phytosterols and plant and plant part extracts; phospholipids and their derivatives; anti-dandruff agents, such as zinc pyrithione, and sunscreen agents such as ethylhexyl methoxycinnamate, avobenzene, and phenyl benzimidazole sulfonic acid.

10 Delivery systems comprising the active ingredients are also provided herein.

In one embodiment, the skin care active ingredient is selected from the group consisting of a Vitamin B3 component, panthenol, Vitamin E, Vitamin E acetate, retinoid, retinol, retinyl, propionate, retinyl palmitate, retinoic acid, Vitamin C, theobromine, alpha-hydroxyacid, farnesol, phytrantriol, salicylic acid, palmityl peptapeptide-3 and mixtures thereof. In another embodiment, the Vitamin B3 compound is niacinamide. In yet another embodiment, the vitamin B₃ compound is tocopherol nicotinate.

15

Exemplary derivatives of the foregoing vitamin B₃ compounds include nicotinic acid esters, including non-vasodilating esters of nicotinic acid, nicotinyl amino acids, nicotinyl alcohol esters of carboxylic acids, nicotinic acid N-oxide and niacinamide N-oxide. Suitable esters of nicotinic acid include nicotinic acid esters of C₁-C₂₂, specifically C₁-C₁₆, more specifically C₁-C₆ alcohols. The alcohols are suitably straight-chain or branched chain, cyclic or acyclic, saturated or unsaturated (including aromatic), and substituted or unsubstituted. The esters are specifically non-vasodilating. Non-vasodilating esters of nicotinic acid include tocopherol nicotinate and inositol hexanicotinate. A more complete description of vitamin B₃ compounds is given in WO 98/22085.

20

25

The retinoid skin care active ingredient may be retinol, retinol esters (e.g., C₂ - C₂₂ alkyl esters of retinol, including retinyl palmitate, retinyl acetate, retinyl propionate), retinal, and/or retinoic acid (including all-trans retinoic acid and/or 13-cis-retinoic acid).

WO 2004/080426

PCT/US2004/007758

-14-

These compounds are well known in the art and are commercially available from a number of sources, e.g., Sigma Chemical Company, and Boehringer Mannheim. Exemplary retinoids are retinol, retinyl palmitate, retinyl acetate, retinyl propionate, retinal, retinoic propionate, retinoic acid and combinations thereof. The retinoid may be

5 included as the substantially pure material, or as an extract obtained by suitable physical and/or chemical isolation from natural (e.g., plant) sources. The retinoid may comprise from about 0.005% to about 2% and specifically from about 0.01% to about 12% by weight of the personal care composition. In another embodiment, the personal care composition may comprise retinol. The retinol may comprise from about 0.01% to about

10 0.15% by weight of the personal care composition. In yet another embodiment, the personal care composition may comprise retinol esters. The retinol esters may comprise from about 0.01% to about 2% by weight of the personal care composition.

In addition to the active ingredients noted above, the personal care composition may comprise a physiologically acceptable carrier or excipient. Specifically, the personal

15 care compositions herein may comprise a safe and effective amount of a dermatologically acceptable carrier, suitable for topical application to the skin or hair within which the essential materials and optional other materials are incorporated to enable the essential materials and optional components to be delivered to the skin or hair at an appropriate concentration. The carrier can thus act as a diluent, dispersant, solvent or the like for the

20 essential components which ensures that they can be applied to and distributed evenly over the selected target at an appropriate concentration.

An effective amount of one or more compounds described herein may also be included in personal care compositions to be applied to keratinous materials such as nails and hair, including but not limited to those useful as hair spray compositions, hair styling

25 compositions, hair shampooing and/or conditioning compositions, compositions applied for the purpose of hair growth regulation and compositions applied to the hair and scalp for the purpose of treating seborrhoea, dermatitis and/or dandruff.

An effective amount of one or more compounds described herein may be included in personal care compositions suitable for topical application to the skin, teeth, nails or

WO 2004/080426

PCT/US2004/007758

-15-

hair. These compositions can be in the form of creams, lotions, gels, suspensions dispersions, microemulsions, nanodispersions, microspheres, hydrogels, emulsions (e.g., oil- in- water and water- in- oil, as well as multiple emulsions) and multilaminar gels and the like (*see*, for example, The Chemistry and Manufacture of Cosmetics, Schlossman et al., 1998), and may be formulated as aqueous or silicone compositions or may be formulated as emulsions of one or more oil phases in an aqueous continuous phase (or an aqueous phase in an oil phase).

The type of carrier utilized in the present invention depends on the type of product form desired for the personal care composition. The carrier can be solid, semi-solid or liquid. Suitable carriers are liquid or semi-solid, such as creams, lotions, gels, sticks, ointments, pastes, sprays and mousses. Specifically, the carrier is in the form of a lotion, cream or a gel, more specifically one which has a sufficient thickness or yield point to prevent the particles from sedimenting. The carrier can itself be inert or it can possess dermatological benefits of its own. The carrier may be applied directly to the teeth, skin, nails and/or hair or it may be applied via a woven or non-woven wipe or cloth. It may also be in the form of a patch, mask, wrap, or other inert substrate. It may also be aerosolized or otherwise sprayed or pumped onto the skin and/or hair. The carrier should also be physically and chemically compatible with the essential components described herein, and should not unduly impair stability, efficacy or other use benefits associated with the compositions of the present invention.

In one embodiment, the carrier may be selected from the group consisting of water, propylene glycol, ethanol, propanol, glycerol, butylene glycol and polyethylene glycol, or a combination thereof. The carriers may also contain a dermatologically acceptable, hydrophilic diluent. Suitable hydrophilic diluents include water, organic hydrophilic diluents such as $C_2 - C_{10}$, specifically $C_2 - C_6$, more specifically, $C_3 - C_6$ monohydric alcohols and low molecular weight glycols and polyols, including propylene glycol, polyethylene glycol polypropylene glycol, glycerol, butylene glycol, 1,2,4-butanetriol, sorbitol, 1,2,6-hexametriol, pentylene glycol, hexylene glycol, sorbitol esters, ethoxylated ethers, propoxylated ethers and combinations thereof. In one embodiment, the diluent is a

WO 2004/080426

PCT/US2004/007758

-16-

liquid. In another embodiment, the diluent is water. In another embodiment, the personal care composition comprises at least about 20% of the hydrophilic diluent.

Suitable carriers may also comprise an emulsion comprising a hydrophilic phase, especially an aqueous phase, and a hydrophobic phase e.g., a lipid, oil or oily material. As well known to one skilled in the art, the hydrophilic phase will be dispersed in the hydrophobic phase, or vice versa, to form respectively hydrophilic or hydrophobic dispersed and continuous phases, depending on the composition of ingredients. The emulsion may be or comprise (e.g., in a triple or other multi-phase emulsion) an oil-in-water emulsion or a water-in-oil emulsion such as a water-in-silicone emulsion. Oil-in-water emulsions may comprise from about 1% to about 60% or from about 1% to about 30% of the dispersed hydrophobic phase and from about 1% to about 99% or from about 10% to about 90% of the continuous hydrophilic phase; water-in-oil emulsions may comprise from about 1% to about 98% or from about 40% to about 90% of the dispersed hydrophilic phase and from about 1% to about 50% or from about 1% to about 30% of the continuous hydrophobic phase.

The carrier might also include one or more components that facilitate penetration through the upper stratum corneum barrier to the deeper skin layers. Examples of penetration enhancers include, but are not limited to, propylene glycol, azone, ethoxydiglycol, dimethyl isosorbide, urea, ethanol and dimethyl sulfoxide. Other examples include, but are not limited to, microemulsions, liposomes and nanoemulsions.

The personal care compositions of the present invention may further comprise humectants. In one embodiment, the personal care composition comprises from about 0.01% to about 20% by weight of humectant. In another embodiment, the personal care composition comprises from about 0.1% to about 15% by weight of a humectant. In yet another embodiment, the personal care composition comprises from about 0.5% to about 10% by weight of a humectant. Humectants include, but are not limited to, compounds selected from polyhydric alcohols, sorbitol, glycerol, urea, betaine, D or DL panthenol, calcium pantothenate, royal jelly, panthetine, pantotheine, panthenyl ethyl ether, pangamic

WO 2004/080426

PCT/US2004/007758

-17-

acid, pyridoxin, pantoil lactose Vitamin B complex, sodium pyrrolidone carboxylic acid, hexane - 1, 2, 6, - triol, guanidine or its derivatives, and mixtures thereof.

Suitable polyhydric alcohol humectants for use herein include polyalkylene glycols and specifically alkylene polyols and their derivatives, including propylene glycol, 5 dipropylene glycol, polypropylene glycol, polyethylene glycol and derivatives thereof, sorbitol, hydroxypropyl sorbitol, erythritol, threitol, pentaerythritol, xylitol, glucitol, mannitol, pentylene glycol, hexylene glycol, butylene glycol (e.g., 1,3-butylene glycol), hexane triol (e.g., 1,2,6-hexanetriol), trimethylol propane, neopentyl glycol, glycerine, ethoxylated glycerine, propane-1,3 diol, propoxylated glycerine and mixtures thereof. The 10 alkoxylated derivatives of any of the above polyhydric alcohols are also suitable for use herein. In one embodiment, polyhydric alcohols of the present invention are selected from glycerine, butylene glycol, propylene glycol, pentylene glycol, hexylene glycol, dipropylene glycol, polyethylene glycol, hexane triol, ethoxylated glycerine and propoxylated glycerine and mixtures thereof.

15 Suitable humectants useful herein are sodium 2-pyrrolidone-5-carboxylate (NaPCA), guanidine; glycolic acid and glycolate salts (e.g. ammonium and quaternary alkyl ammonium); lactic acid and lactate salts (e.g. ammonium and quaternary alkyl ammonium); aloe vera in any of its variety of forms (e.g., aloe vera gel); hyaluronic acid and derivatives thereof (e.g., salt derivatives such as sodium hyaluronate); lactamide 20 monoethanolamine; acetamide monoethanolamine; urea; betaine, panthenol and derivatives thereof; and mixtures thereof.

At least part (up to about 5% by weight of composition) of a humectant may be incorporated in the form of an admixture with a particulate cross-linked hydrophobic acrylate or methacrylate copolymer, itself specifically present in an amount of from about 25 0.1% to about 10%, which can be added either to the aqueous or disperse phase. This copolymer is particularly valuable for reducing shine and controlling oil while helping to provide effective moisturization benefits and is described in further detail by WO96/03964.

WO 2004/080426

PCT/US2004/007758

-18-

The oil-in-water and oil-in-water-in-oil emulsion embodiments of the present invention may comprise from about 0.05% to about 20%, specifically from about 1% to about 15%, more specifically from about 2% to about 10%, and even more specifically from about 2% to about 5% by weight of a dermatologically acceptable emollient.

- 5 Emollients tend to lubricate the skin, increase the smoothness and suppleness of the skin, prevent or relieve dryness of the skin and/or protect the skin. Emollients are typically water-immiscible, oily or waxy materials and emollients with high molecular weights can confer aesthetic properties to a topical composition. A wide variety of suitable emollients are known and may be used herein. Sagarin, Cosmetics, Science and Technology, 2nd
10 Edition, Vol. 1, pp. 32-43 (1972), contains numerous examples of materials suitable as an emollient. All emollients discussed in application WO 00/24372 should be considered as suitable for use in the present invention although examples are outlined in further detail below:

- i) Straight and branched chain hydrocarbons having from about 7 to about 40
15 carbon atoms, such as mineral oils, dodecane, squalane, cholesterol, hydrogenated polyisobutylene, isohexadecane, isoeicosane, isooctahexacontane, isohexapentacontahexane, and the C₇-C₄₀ isoparaffins, which are C₇-C₄₀ branched hydrocarbons. Suitable branched chain hydrocarbons for use herein are selected from isopentacontaoctane, petrolatum and mixtures thereof;

- 20 ii) C₁-C₃₀ fatty acid esters of C₁-C₃₀ carboxylic acids, C₁₂₋₁₅ 12-15 alkyl benzoates and of C₂-C₃₀ dicarboxylic acids, e.g. isononyl isononanoate, isostearyl neopentanoate, isodecyl octanoate, isodecyl isononanoate, tridecyl isononanoate, myristyl octanoate, octyl pelargonate, octyl isononanoate, myristyl myristate, myristyl neopentanoate, myristyl octanoate, isopropyl myristate, myristyl propionate, isopropyl
25 stearate, isopropyl isostearate, methyl isostearate, behenyl behenate, dioctyl maleate, diisopropyl adipate, and diisopropyl dilinoleate and mixtures thereof;

- iii) C₁-C₃₀ mono- and poly- esters of sugars and related materials derived from a sugar or polyol moiety and one or more carboxylic acid moieties. Depending on the constituent acid and sugar, these esters can be in either liquid or solid form at room

WO 2004/080426

PCT/US2004/007758

-19-

temperature. Examples include: glucose tetraoleate, the galactose tetraesters of oleic acid, the sorbitol tetraoleate, sucrose tetraoleate, sucrose pentaoleate, sucrose hexaoleate, sucrose heptaoleate, sucrose octaoleate, sorbitol hexaester. Other materials include cottonseed oil or soybean oil fatty acid esters of sucrose. Other examples of such

5 materials are described in WO 96/16636;

iv) Vegetable oils and hydrogenated vegetable oils. Examples of vegetable oils and hydrogenated vegetable oils include safflower oil, grapeseed oil, coconut oil, cottonseed oil, menhaden oil, palm kernel oil, palm oil, peanut oil, soybean oil, rapeseed oil, linseed oil, rice bran oil, pine oil, nut oil, sesame oil, sunflower seed oil, partially and

10 fully hydrogenated oils from the foregoing sources and mixtures thereof; and

v) Soluble or colloidally-soluble moisturizing agents. Examples include hyaluaronic acid and, chondroitin sulfate, heparan sulfate, and starch-grafted sodium polyacrylates.

Personal care compositions herein may also contain one or more emulsifiers and/or

15 surfactants, generally to help disperse and suspend the disperse phase within the continuous phase. A surfactant may be useful if the product is intended for skin or hair cleansing. For convenience hereinafter emulsifiers will be referred to under the term "surfactants". Thus, surfactant(s) will be used to refer to surface active agents whether used as emulsifiers or for other surfactant purposes such as skin cleansing. Known or

20 conventional surfactants can be used in the composition, provided that the selected agent is chemically and physically compatible with essential components of the composition and provides the desired characteristics. Suitable surfactants include non-silicone derived materials, silicone-derived materials, and mixtures thereof. All surfactants discussed in application WO 00/24372 should be considered as suitable for use in the present

25 invention. The personal care compositions of the present invention may comprise from about 0.05% to about 30%, specifically from about 0.5% to 15%, and more specifically from about 1% to 10% by weight of a surfactant or mixture of surfactants. The exact surfactant or surfactant mixture chosen will depend upon the pH of the composition, the other components present and the desired final product aesthetics.

WO 2004/080426

PCT/US2004/007758

-20-

Among the nonionic surfactants that are useful herein are those that can be broadly defined as condensation products of long chain alcohols, e.g. C₈₋₃₀ alcohols, with sugar or starch polymers, i.e., glycosides. Other useful nonionic surfactants include the condensation products of alkylene oxides with fatty acids (i.e., alkylene oxide esters of fatty acids). These materials have the general formula RCO(X)_nOH wherein R is a C₁₀₋₃₀ alkyl group, X is -OCH₂CH₂- (i.e., derived from ethylene glycol or oxide) or -OCH₂CHCH₃- (i.e., derived from propylene glycol or oxide) and n is an integer from 6 to 200. Other nonionic surfactants are the condensation products of alkylene oxides with 2 moles of fatty acids (i.e., alkylene oxide diesters of fatty acids). These materials have the general formula RCO(X)_nOOCR wherein R is a C₁₀₋₃₀ alkyl group, X is -OCH₂CH₂- (i.e., derived from ethylene glycol or oxide) or -OCH₂CHCH₃- (i.e., derived from propylene glycol or oxide) and n is an integer from 6 to 100. For example, an emulsifier for use herein is most specifically a fatty acid ester blend based on a mixture of sorbitan fatty acid ester and sucrose fatty acid ester, more specifically a blend of sorbitan stearate and sucrose cocoate. Even further suitable examples include a mixture of cetearyl alcohols and cetearyl glucosides.

The hydrophilic surfactants useful herein can alternatively or additionally include any of a wide variety of cationic, anionic, zwitterionic, and amphoteric surfactants such as are known in the art. (See, e.g., McCutcheon's, Detergents and Emulsifiers and Detergents, North American (2003) and International Editions (1986), published by MC Publishing Co. and Allured Publishing Corporation; U.S. Patent No. 5,011,681 to Ciotti et al., U.S. Patent No. 4,421,769 to Dixon et al.; and U.S. Patent No. 3,755,560 to Dickert et al.).

A variety of anionic surfactants are also useful herein. (See, e.g., U.S. Patent No. 3,929,678, to Laughlin et al.). Examples of anionic surfactants include the alkoyl isethionates (e.g., C₁₂ - C₃₀), alkyl and alkyl ether sulfates and salts thereof, alkyl and alkyl ether phosphates and salts thereof, alkyl methyl taurates (e.g., C₁₂ - C₃₀), and soaps (e.g., substituted alkylamine and alkali metal salts, e.g., sodium or potassium salts) of fatty acids.

WO 2004/080426

PCT/US2004/007758

-21-

Amphoteric and zwitterionic surfactants are also useful herein. Examples of amphoteric and zwitterionic surfactants which can be used in the compositions of the present invention are those which are broadly described as derivatives of aliphatic secondary and tertiary amines in which the aliphatic radical can be straight or branched chain and wherein one of the aliphatic substituents contains from about 8 to about 22 carbon atoms (specifically C₈ - C₁₈) and one contains an anionic water solubilizing group, e.g., carboxy, sulfonate, sulfate, phosphate, or phosphonate. Examples are alkyl imino acetates and iminodialkanoates and aminoalkanoates, imidazolinium and ammonium derivatives. Other suitable amphoteric and zwitterionic surfactants are those selected from the group consisting of betaines, sultaines, hydroxysultaines, and branched and unbranched alkanoyl sarcosinates, and mixtures thereof.

Some emulsions of the present invention may include a silicone containing emulsifier or surfactant. A wide variety of silicone emulsifiers are useful herein. These silicone emulsifiers are typically organically modified organopolysiloxanes, also known to those skilled in the art as silicone surfactants. Useful silicone emulsifiers include dimethicone copolyols. These materials are polydimethyl siloxanes which have been modified to include polyether side chains such as polyethylene oxide chains, polypropylene oxide chains, mixtures of these chains and polyether chains containing moieties derived from both ethylene oxide and propylene oxide. Other examples include alkyl-modified dimethicone copolyols, i.e., compounds which contain C₂-C₃₀ pendant side chains. Still other useful dimethicone copolyols include materials having various cationic, anionic, amphoteric, and zwitterionic pendant moieties.

The personal care compositions of the present invention may further comprise at least one polymeric thickening agent. The polymeric thickening agents useful herein may have a number average molecular weight of greater than about 20,000, specifically greater than about 50,000, and more specifically greater than about 100,000. The personal care compositions of the present invention may comprise from about 0.01% to about 10%, specifically from about 0.1% to about 8%, and more specifically from about 0.25% to about 5% by weight of a polymeric thickening agent or mixtures thereof.

WO 2004/080426

PCT/US2004/007758

-22-

Examples of polymer thickening agents for use herein include non-ionic thickening agents and anionic thickening agents or mixtures thereof. Suitable non-ionic thickening agents include polyacrylamide polymers, crosslinked poly(N-vinylpyrrolidones), polysaccharides, natural or synthetic gums, polyvinylpyrrolidone and polyvinylalcohol.

5 Suitable anionic thickening agents include acrylic acid/ethyl acrylate copolymers, carboxyvinyl polymers and crosslinked copolymers of alkyl vinyl ethers and maleic anhydride. As an example, Noveon sells a thickener under the trademark of CARBOPOL™ resins or mixtures thereof. Suitable Carbopol resins may be hydrophobically modified, and other suitable resins are described in WO98/22085, or

10 mixtures thereof.

The present personal care compositions may comprise at least one silicone oil phase. Silicone oil phase(s) generally comprises from about 0.1% to about 20%, specifically from about 0.5% to about 10%, and more specifically from about 0.5% to about 5% by weight of the composition. The silicone oil phase may comprise one or more

15 silicone components.

Silicone components can be fluids, including straight chain, branched and cyclic silicones. Suitable silicone fluids useful herein include silicones inclusive of polyalkyl siloxane fluids, polyaryl siloxane fluids, cyclic and linear polyalkylsiloxanes, polyalkoxylated silicones, amino and quaternary ammonium modified silicones, polyalkylaryl

20 siloxanes or a polyether siloxane copolymer and mixtures thereof. The silicone fluids can be volatile or non-volatile. Silicone fluids generally have an average molecular weight of less than about 200,000. Suitable silicone fluids have a molecular weight of about 100,000 or less, specifically about 50,000 or less, and more specifically about 10,000 or less. Particularly, the silicone fluid is selected from silicone fluids having a weight

25 average molecular weight in the range from about 100 to about 50,000 and specifically from about 200 to about 40,000.

Typically, silicone fluids have a viscosity ranging from about 0.65 to about 600,000 mm²s⁻¹, specifically from about 0.65 to about 10,000 mm²s⁻¹ at 25°C. The viscosity can be measured by means of a glass capillary viscometer as set forth in Dow

WO 2004/080426

PCT/US2004/007758

-23-

Corning Corporate Test Method CTM0004, July 29, 1970. Suitable polydimethyl siloxanes that can be used herein include those available, for example, from the General Electric Company and from Dow Corning. Also useful are essentially non-volatile polyalkylarylsiloxanes, for example, polymethylphenylsiloxanes, having viscosities of
5 about 0.65 to 30,000 mm²s⁻¹ at 25°C. These siloxanes are available, for example, from the General Electric Company or from Dow Corning. Cyclic polydimethylsiloxanes suitable for use herein are those having a ring structure incorporating from about 3 to about 7 (CH₃)₂SiO moieties, specifically about 5 or more.

Silicone gums may also be used herein. In specific embodiments, a silicone oil
10 phase comprises a silicone gum or a mixture of silicones including the silicone gum. Typically, silicone gums have a viscosity at 25°C in excess of about 1,000,000 mm²s⁻¹. The silicone gums include dimethicones as described by Petrarch and others including US-A-4,152,416, May 1, 1979 to Spitzer, et al, and Noll, Walter, Chemistry and Technology of Silicones, New York: Academic Press 1968. Also describing silicone gums are General
15 Electric Silicone Rubber Product Data Sheets SE 30, SE 33, SE 54 and SE 76. Specific examples of silicone gums include polydimethylsiloxane, (polydimethylsiloxane)-(methylvinylsiloxane) copolymer, poly(dimethylsiloxane)(diphenyl)(methylvinylsiloxane) copolymer and mixtures thereof. Preferred silicone gums for use herein are silicone gums having a molecular weight of from about 200,000 to about 4,000,000 selected from
20 dimethiconol, dimethicone copolyol, dimethicone and mixtures thereof.

A silicone phase herein may comprise a silicone gum incorporated into the composition as part of a silicone gum-fluid blend. When the silicone gum is incorporated as part of a silicone gum-fluid blend, the silicone gum may constitute from about 5% to about 40% and specifically from about 10% to 20% by weight of the silicone gum-fluid
25 blend. Suitable silicone gum-fluid blends herein are mixtures consisting essentially of:

(i) a silicone having a molecular weight of from about 200,000 to about 4,000,000 selected from dimethiconol, fluorosilicone and dimethicone and mixtures thereof; and

WO 2004/080426

PCT/US2004/007758

-24-

- (ii) a carrier which is a silicone fluid, the carrier having a viscosity from about $0.65 \text{ mm}^2\text{s}^{-1}$ to about $100 \text{ mm}^2\text{s}^{-1}$, wherein the ratio of i) to ii) is from about 10:90 to about 20:80 and wherein said silicone gum-based component has a final viscosity of from about $100 \text{ mm}^2\text{s}^{-1}$ to about $100,000 \text{ mm}^2\text{s}^{-1}$, specifically from $500 \text{ mm}^2\text{s}^{-1}$ to about $10,000 \text{ mm}^2\text{s}^{-1}$.

Further silicone components suitable for use in a silicone oil phase herein are crosslinked polyorganosiloxane polymers, optionally dispersed in a fluid carrier. In general, when present the crosslinked polyorganosiloxane polymers, together with their carrier (if present) comprise from about 0.1% to about 20%, specifically from about 0.5% to about 10%, and more specifically from about 0.5% to about 5% by weight of the personal care composition. Such polymers comprise polyorganosiloxane polymers crosslinked by a crosslinking agent. Suitable crosslinking agents are disclosed in WO98/22085. Examples of suitable polyorganosiloxane polymers for use herein include methyl vinyl dimethicone, methyl vinyl diphenyl dimethicone and methyl vinyl phenyl methyl diphenyl dimethicone.

Another class of silicone components suitable for use in a silicone oil phase herein includes polydiorganosiloxane-polyoxyalkylene copolymers containing at least one polydiorganosiloxane segment and at least one polyoxyalkylene segment. Suitable polydiorganosiloxane segments and copolymers thereof are disclosed in WO98/22085. Suitable polydiorganosiloxane-polyalkylene copolymers are available commercially under the tradename BELSIL™ from Wacker-Chemie GmbH. An example of a copolymer fluid blend for use herein includes Dow Corning DC3225C which has the CTFA designation Dimethicone/Dimethicone copolyol.

Personal care compositions of the present invention may also comprise an organic sunscreen. Suitable sunscreens can have UVA absorbing properties, UVB absorbing properties or a mixture thereof. The exact amount of the sunscreen active will vary depending upon the desired Sun Protection Factor, i.e., the "SPF" of the composition as well as the desired level of UV protection. SPF is a commonly used measure of photoprotection of a sunscreen against erythema. The SPF is defined as a ratio of the

WO 2004/080426

PCT/US2004/007758

-25-

ultraviolet energy required to produce minimal erythema on protected skin to that required to produce the same minimal erythema on unprotected skin in the same individual. Amounts of the sunscreen may comprise from about 2% to about 20%, and specifically from about 4% to about 14% by weight of the personal care composition. Suitable
5 sunscreens include, but are not limited to, those approved for use in the United States, Japan, Europe and Australia. The compositions of the present invention comprise an SPF of about 2 to about 30, specifically about 4 about 30, and more specifically about 4 to about 15.

The personal care compositions of the present invention may include one or more
10 UVA absorbing sunscreen actives that absorb UV radiation having a wavelength of from about 320nm to about 400nm. Suitable UVA absorbing sunscreen actives are selected from dibenzoylmethane derivatives, anthranilate derivatives such as methylantranilate and homomethyl, 1-N-acetylantranilate, and mixtures thereof. Examples of dibenzoylmethane sunscreen actives are described in Sunscreens: Development,
15 Evaluation, and Regulatory Aspects edited by N. J. Lowe and N. A. Shaath, Marcel Dekker, Inc (1990). The UVA absorbing sunscreen active may be present in an amount to provide broad spectrum UVA protection either independently, or in combination with, other UV protective actives which may be present in the composition.

Suitable UVA sunscreen actives are dibenzoylmethane sunscreen actives and their
20 derivatives. They include, but are not limited to, those selected from 2-methyldibenzoylmethane, 4-methyldibenzoylmethane, 4-isopropyldibenzoylmethane, 4-tert-butyl-dibenzoylmethane, 2, 4-dimethyldibenzoylmethane, 2, 5-dimethyldibenzoylmethane, 4, 4'-diisopropylbenzoylmethane, 4-(1, 1-dimethylethyl)-4'-methoxydibenzoylmethane, 2-methyl-5-isopropyl-4'-methoxydibenzoylmethane, 2-
25 methyl-5-tert-butyl-4'-methoxy-dibenzoylmethane, 2, 4-dimethyl-4'-methoxydibenzoylmethane, 2, 6-dimethyl-4'-tert-butyl-4'-methoxydibenzoylmethane, and mixtures thereof. In one embodiment, the dibenzoyl sunscreen actives include those selected from 4-(1, 1-dimethylethyl)-4'-methoxydibenzoylmethane, 4-isopropyldibenzoylmethane, and mixtures thereof. In another embodiment, the sunscreen
30 active is 4-(1, 1-dimethylethyl)-4'-methoxydibenzoylmethane.

WO 2004/080426

PCT/US2004/007758

-26-

The sunscreen active 4-(1, 1-dimethylethyl)-4'-methoxydibenzoylmethane, which is also known as butyl methoxydibenzoylmethane or Avobenzene, is commercially available under the names of PARSOL® 1789 from Givaudan Roure (International) S. A. and EUSOLEX® 9020 from Merck & Co., Inc. The sunscreen 4-isopropylidibenzoylmethane, which is also known as isopropylidibenzoylmethane, is commercially available from Merck under the name of EUSOLEX® 8020.

The personal care compositions of the present invention may further include one or more UVB sunscreen actives that absorb UV radiation having a wavelength of from about 290nm to about 320nm. The compositions comprise an amount of the UVB sunscreen active that which is safe and effective to provide UVB protection either independently, or in combination with, other UV protective actives which may be present in the compositions. The compositions may comprise from about 0.1% to about 20%, specifically from about 0.1% to about 12%, and more specifically from about 0.5% to about 8% by weight of each UVB absorbing organic sunscreen, or as mandated by the relevant regulatory authority(s).

A variety of UVB sunscreen actives are suitable for use herein. Non-limiting examples of such organic sunscreen actives are described in U.S. Patent No. 5,087,372 to Haffey et al; and U.S. Patent Nos. 5,073,371 and 5,073,372 to Turner et al. Still other useful sunscreens are those disclosed in U.S. Patent No. 4,937,370, to Sabatelli; and U.S. Patent No. 4,999,186, to Sabatelli et al. Preferred UVB sunscreen actives are selected from 2-ethylhexyl-2-cyano-3, 2-ethylhexyl N,N-dimethyl-p-aminobenzoate, p-aminobenzoic acid, oxybenzone, homomenthyl salicylate, octyl salicylate, 4,4'-methoxy-t-butylidibenzoylmethane, 4-isopropyl dibenzoylmethane, 3-benzylidene camphor, 3-(4-methylbenzylidene) camphor, 3 -diphenylacrylate, 2-phenyl-benzimidazole-5-sulphonic acid (PBSA), cinnamate esters and their derivatives such as 2-ethylhexyl-p-methoxycinnamate and octyl-p-methoxycinnamate, salicylate esters and their derivatives such as TEA triethanolamine salicylate, ethylhexyl saliycylate, octyldimethyl para-aminobenzoic acidPABA, camphor derivatives and their derivatives, and mixtures thereof. Examples of organic sunscreen actives are 2-ethylhexyl-2-cyano-3, 3-diphenylacrylate, 2-phenyl- benzimidazole-5-sulphonic acid (PBSA), octyl-p-methoxycinnamate, and

WO 2004/080426

PCT/US2004/007758

-27-

mixtures thereof. Salt and acid neutralized forms of the acidic sunscreens are also useful herein.

An agent may also be added to any of the compositions useful in the present invention to stabilize the UVA sunscreen to prevent it from photo-degrading on exposure to UV radiation and thereby maintaining its UVA protection efficacy. A wide range of compounds have been cited as providing these stabilizing properties and should be chosen to complement both the UVA sunscreen and the composition as a whole. Suitable stabilizing agents include, but are not limited to, those described in U.S. Patent Nos. 5,972,316; 5,968,485; 5,935,556; 5,827,508 and Published International Application WO 00/06110. Examples of stabilizing agents for use in the present invention include 2-ethylhexyl-2-cyano-3, 3-diphenylacrylate, ethyl-2-cyano-3, 3-diphenylacrylate, 2-ethylhexyl-3, 3-diphenylacrylate, ethyl-3, 3-bis(4-methoxyphenyl)acrylate, diethylhexyl 2,6 naphthalate and mixtures thereof (Symrise Chemical Company).

An agent may also be added to any of the personal care compositions useful in the present invention to improve the skin substantivity of those compositions, particularly to enhance their resistance to being washed off by water or rubbed off. Examples include, but are not limited to, acrylates/C₁₂₋₂₂ alkylmethacrylate copolymer, acrylate/acrylate copolymer, dimethicone, dimethiconol, graft-copoly (dimethylsiloxane/iI-butyl methacrylate), lauryl dimethicone, PVP/Hexadecane copolymer, PVP/Eicosene copolymer, tricontanyl PVP and trimethoxysiloxysilicate.

In addition to the organic sunscreens, personal care compositions of embodiments of the present invention can additionally comprise inorganic physical sunblocks. Non-limiting examples of suitable physical sunblocks are described in CTFA International Cosmetic Ingredient Dictionary, 6th Edition, 1995, pp. 1026-28 and 1103, Sayre, R. M. et al, "Physical Sunscreens", J. Soc. Cosmet. Chem., vol 41, no 2, pp. 103-109 (1990) and Lowe et al., as per above. Specific examples of inorganic physical sunblocks are zinc oxide and titanium dioxide and mixtures thereof.

When used, the physical sunblocks are present in an amount such that the present compositions are transparent on the skin (i.e., non-whitening), from about 0.5% to about

WO 2004/080426

PCT/US2004/007758

-28-

20%, specifically from about 0.51% to about 10%, and more specifically from about 0.5% to 5% by weight of the composition. When titanium dioxide is used, it can have an anatase, rutile or amorphous structure. Manufacturers of micronized grade titanium dioxide and zinc oxide for sunscreen use include, but are not limited to Tayca Corporation, 5 Uniqema, Shinetsu Chemical Corporation, Kerr-McGee, Nanophase, Nanosource, Sachtleben, Elementis, and BASF Corporation, as well as their distribution agents and those companies that further process the material for sunscreen use. Physical sunblock particles, e.g., titanium dioxide and zinc oxide, can be uncoated or coated with a variety of materials including but not limited to amino acids, aluminium compounds such as 10 alumina, aluminium stearate, aluminium laurate, and the like; carboxylic acids and their salts e.g., stearic acid and its salts; phospholipids, such as lecithin; organic silicon compounds; inorganic silicon compounds such as silica and silicates and mixtures thereof. The personal care compositions of the present invention may comprise from about 0.1% to about 15%, specifically from about 0.1% to about 7% and more specifically from about 15 0.5% to about 5% by weight of an inorganic sunscreen.

The personal care compositions of the present invention may also include preservatives. Such preservatives include, but are not limited to pentylene glycol, ethylene diamine tetra acetate (also known as EDTA) and its salts, chlorhexidine (and its diacetate, dihydrochloride, digluconate derivatives), 1,1,1-trichloro-2-methyl-2-propanol, parachloro 20 metaxilenol, polyhexamethylenebiguanide hydrochloride, dehydroacetic acid, diazolidinyl urea, 2,4-dichlorobenzyl alcohol, 4,4-dimethyl-1,3-oxazolidine, formaldehyde, glutaraldehyde, dimethylidantoin, imidazolidinyl urea, 5-chloro-2-methyl-4-isothiazolin-3-one, ortho-phenylphenol, 4-hydroxybenzoic acid and its (methyl-, ethyl-, propyl-, isopropyl-, butyl-, isobutyl-) esters (also known as parabens), salts, trichlosan, 2- 25 phenoxyethanol, phenyl mercuric acetate, borate, nitrate, quaternium- 15, salicilate, salicylic acid and its salts, calcium, sorbic acid and its salts, iodopropanyl butylcarbamate, calcium sorbate, zinc pyrithione, benzyl alcohol, 5-bromo-5nitro-1,3-dioxane, 2-bromo-2-nitropropane-1,3-diol, benzoic acid and its salts, sulfites, bisulfites, and benzalkonium chloride, phenoxyethanol and chloroxylenol, diazolidinyl urea, methylparaben,

WO 2004/080426

PCT/US2004/007758

-29-

propylparaben, PG, isopropylparabens, isobutylparabens, butylparabens, ethylparaben, phenoxyethanol.

A variety of optional ingredients such as neutralizing agents, perfumes and perfume solubilizing agents, and coloring agents, can also be added to the personal care compositions herein. Any additional ingredients should enhance the product, for example, the skin softness/smoothness benefits of the product. In addition, any such ingredients should not negatively impact the aesthetic properties of the product. Neutralizing agents suitable for use in neutralizing acidic group containing hydrophilic gelling agents herein include sodium hydroxide, potassium hydroxide, ammonium hydroxide, monoethanolamine, diethanolamine, amino methyl propanol, tris-buffer and triethanolamine.

Other optional materials include any of the various functional and/or active ingredients known to those skilled in the art. (See e.g., McCutcheon's Functional Materials, North American and International Editions, (2003), published by MC Publishing Co.) Non-limiting examples include: keratolytic agents; water-soluble or solubilizable preservatives specifically at a level of from about 0.1% to about 5%, such as Germall 115, methyl, ethyl, propyl and butyl esters of hydroxybenzoic acid, benzyl alcohol, DMDM hydantoin iodopropanyl butylcarbanate available under the trade name Glydant Plus from Lonza, EDTA, Euxyl (RTM) K400, Bromopol (2-bromo-2-nitropropane-1,3-diol) and phenoxypropanol; anti-bacterials such as Irgasan (RTM) and phenoxyethanol (specifically at levels of from about 0.1% to about 5%); soluble or colloidally-soluble moisturizing agents such as hyaluronic acid and chondroitin sulfate starch-grafted sodium polyacrylates such as Sanwet (RTM) IM-1000, IM-1500 and IM-2500 available from Celanese Superabsorbent Materials, Portsmouth, VA, USA and described in USA-A-4,076,663; vitamins such as vitamin A, vitamin C, vitamin E, vitamin K and derivatives thereof and building blocks thereof; such as phytantriol; and vitamin K and components thereof such as the fatty alcohols such as dodecatrienol; alpha and beta hydroxyacids; aloe vera; sphingosines and phytosphingosines, cholesterol; skin whitening agents; N-acetyl cysteine; colouring agents; antibacterial agents such as TCC/TCS, also known as triclosan and trichlorocarbon; perfumes and perfume solubilizers. Examples of

WO 2004/080426

PCT/US2004/007758

-30-

alpha hydroxy acids include glycolic acid, lactic acid, malic acid, and citric acid (whether derived synthetically or from natural sources and whether used alone or in combination), and their esters or relevant buffered combinations such as glycolic acid in conjunction with ammonium glycolate. Other examples of alpha-hydroxy acids include: alpha-hydroxy
5 ethanoic acid, alpha-hydroxyoctanoic acid, alpha-hydroxycaprylic acid, and hydroxycaprylic acid, mixed fruit acid, tri-alpha hydroxy fruit acids, triple fruit acid, sugar cane extract, alpha hydroxy and botanical comprise, 1-alpha hydroxy acid and glycomer in crosslinked fatty acids alpha nutrium. Specific examples of alpha hydroxy acids are glycolic acid and lactic acid. In a particular embodiment, alpha hydroxy acids are used in
10 levels of up to about 10%.

Optional materials include pigments that, where water-insoluble, contribute to and are included in the total level of oil phase ingredients. Pigments suitable for use in the compositions of the present invention can be organic and/or inorganic. Also included within the term pigment are materials having a low color or luster, such as matte finishing
15 agents, light scattering agents, and formulation aids such as micas, seracites, and carbonate salts. Further examples of suitable pigments are titanium dioxide, predispersed titanium dioxide, iron oxides, zinc oxide, bismuth oxychloride (whether pre-dispersed and/or pre-coated or not) coated iron oxides, ultramarine blue, D&C dyes and lakes, FD&C colors, natural color additives such as carmine, and mixtures thereof. Depending
20 upon the type of composition, a mixture of pigments will normally be used. Exemplary pigments for use herein from the viewpoint of moisturization, skin feel, skin appearance and emulsion compatibility are treated pigments. The pigments may be treated with compounds, including but not limited to amino acids, silicones, lecithin and ester oils.

Suitably, the pH of the personal care compositions herein is in the range from
25 about 3.5 to about 10, specifically from about 4 to about 8, and more specifically from about 5 to about 7, wherein the pH of the final composition is adjusted by addition of acidic, basic or buffer salts as necessary, depending upon the composition of the forms and the pH-requirements of the compounds.

WO 2004/080426

PCT/US2004/007758

-31-

One skilled in the art will appreciate the various techniques for preparing the personal care compositions of the present invention, any of which may be employed herein. In general the aqueous phase and/or the oil phase would be prepared separately, with materials of similar phase partitioning being added in any order. If the final product
5 is an emulsion, the two phases will then be combined with vigorous stirring and/or homogenization as necessary to reduce the size of the internal phase droplets. Any ingredients in the formulation with high volatility, or which are susceptible to hydrolysis or decomposition at high temperatures, can be added with gentle stirring towards the end of the process, post emulsification if applicable. Dosage frequency and amount will
10 depend upon the desired performance criteria.

In order that the invention may be more readily understood, reference is made to the following examples, which are intended to be illustrative of the invention, but are not intended to be limiting in scope.

EXAMPLES

15 EXAMPLE 1

A. A genetically engineered silk-elastin repeat sequence protein block copolymer (SELP) was isolated and purified from *E. coli* bacteria. The *E. coli* containing a specific silk-elastin repeat sequence protein copolymer SELP47K recombinant DNA was obtained from Protein Polymer Technologies, Inc. (PPTI) of San Diego, California.
20 The *E. coli* may be prepared in accordance with the methods described in U.S. Patent Nos. 5,243,038 and 6,355,776. The recovery of kilogram quantities of SELP was also demonstrated. The silk-elastin copolymer SELP47K had a general structure of head-
[(GAGAGS)₂(GVGVVP)₃GKGVVP(GVGP)₄(GAGAGS)₂]₁₃-tail (SEQ ID NO. 19). The copolymer contained 886 amino acids, with 780 amino acids in the repeating sequence
25 unit. The SELP47K had a molecular weight of about 70,000 Daltons, and the pI of the protein is 10.5.

Monodispersed silk-elastin protein polymer SELP47K was produced for application testing in the following manner. *E. coli* fermentation was performed to

WO 2004/080426

PCT/US2004/007758

-32-

produce a cell-paste containing monodispersed SELP47K. The cell-paste was placed in ice cold water and homogenized to make the cell extract. The cell-extract was mixed with polyethyleneimine and a filter-aid and was allowed to stir at 7°C for one hour. The polyethyleneimine caused precipitation of cell debris and a significant amount of *E. coli* proteins. The SELP47K containing reaction mixture was then filtered using Rotary Drum Vacuum Filter (RVDF). The filtered SELP47K solution was then mixed with ammonium sulfate to 25% saturation, which led to precipitation of SELP47K. Precipitated SELP47K and mother liquor was mixed with a filter-aid and again filtered using RVDF. The RVDF cake containing SELP47K and filter-aid was mixed with cold water to dissolve the SELP47K. This precipitation and solubilization step was repeated one more time to improve the purity profile of the SELP47K. Purified monodispersed SELP47K was then water-exchanged until the conductivity of SELP solution reached 50 $\mu\text{S}/\text{cm}^2$. The monodispersed SELP solution was then concentrated to 10% wt/vol and then lyophilized to make powdered monodispersed SELP47K protein polymer. The material was stored at -70°C until needed for application testing.

B. SELP variants were either obtained from PPTI or genetically engineered (Table 1).

Table 1. SELP variants, properties.

Variant Name	Number of Subunits	Lysine Substitution	Molecular Weight (Da)	Isoelectric Point
SELP47E	13	Glutamic Acid	70,212	4.16
SELP47K-3	3	none	20,748	9.52
SELP47R-3	3	Arginine	20,960	10.5
SELP47E-3	3	Glutamic Acid	20,879	5.9
SELP27K	13	none	59,401	10.53
SELP37K	13	none	64,605	10.53
SELP58	13	none	74,765	6.7
SELP67K	13	none	80,347	10.53

WO 2004/080426

PCT/US2004/007758

-33-

The *E. coli* strains containing a specific silk-elastin repeat sequence protein copolymer SELP47K, SELP37K and SELP27K recombinant DNA were also obtained from Protein Polymer Technologies, Inc. of San Diego, California. SELP67K, SELP58, SELP37K and SELP27K variant proteins were produced in 14 L fed batch culture using
5 standard SELP47K production protocols, as described above. Proteins were purified and characterized as follows: 40 grams of cell pastes collected from 14L cultures were lysed via French-press followed by the addition of polyethyleneimine (0.8 w/v%). Centrifugation was used to separate the cellular debris from the cell extract. SELP polymers were precipitated from the cell extract using ammonium sulfate (30%
10 saturation), collected by centrifugation and reconstituted in water. Residual salts were removed by dialysis against water and SELP polymers were lyophilized and characterized using sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE). SELP47K-3 species was excised from SDS-PAGE gels and further characterized, its identity confirmed, by LC-MS/MS (Liquid Chromatographic Mass Spectroscopy). The
15 molecular weight of the intact SELP47K-3 protein was also confirmed using MALDI-TOF/MS (Matrix Assisted Laser Desorption Ionization Time of Flight Mass Spectrometry).

The protocol used for the genetic engineering of variants SELP47E, SELP47K-3, SELP47R-3, and SELP47E-3 is a modification of a commercially available kit designed to
20 create single base pair changes in multiple sites along a particular DNA sequence (QUIKCHANGE® Multi (Site-Directed Mutagenesis Kit), Stratagene cat #200513). The standard protocol involves the construction of single direction 5' phosphorylated primers that will hybridize to plasmid template regions of interest and incorporate point mutations. Thermocycling is employed that includes a ligation reaction designed to link the multiple
25 primers during each round of synthesis.

SELP DNA sequences are unique in that the multiple repeating subunits are identical. In order to change a single amino acid residue in all subunits a single change is effectively performed multiple times. The above protocol was further modified in that primers were designed pair-wise, complementary, thereby creating PCR amplification

WO 2004/080426

PCT/US2004/007758

-34-

conditions in the thermocycling process. Amplified plasmid DNA was then used to transform *E. coli* cells and can be further screened and characterized for desired mutations.

Methods: Conversion of SELP lysine residues.

Primers were designed that direct a single base change mutation resulting in
5 conversion of lysine residues to glutamic acids or arginines while simultaneously creating
a unique restriction enzyme site at this location used for subsequent plasmid screening. 5'
phosphorylated primers were made complementary, in both directions (both strands) as
follows:

Glutamic Acid conversion:

10 5'-GGGAGTTGGTGTACCTGGAGAAGGTGTTCCGGGGGTAGG-3' (SEQ ID
NO. 21)

3'-CCCTCAACCACATGGACCTCTTCCACAAGGCCCCCATCC-5' (SEQ ID
NO. 22)

(A20 was converted to G20)

15 Arginine Conversion:

5'-GGGAGTTGGGGTACCTGGACGAGGTGTTCCGGGGGTAGG-3' (SEQ ID
NO. 23)

20 3'-CCCTCAACCCCATGGACCTCGAGGTGGAACCCCCCATCC-5' (SEQ ID
NO. 24)

(G19 and T20 were converted to C and G)

QUICKCHANGE® Multi reaction was carried out as per the manufacturer's
protocol except that both complementary primers were included. 5 µl of each reaction was
25 used to transform TOP10 cells as per protocol (Invitrogen). 100 µl of salt optimized
carbon (SOC) outgrowth were plated per reaction. Transformants were picked and grown
in 5ml LB containing 50 ppm kanamycin. Plasmid DNA was obtained from cultures using
the Qiagen plasmid miniprep kit and analyzed by digestion with appropriate restriction
enzymes followed by gel electrophoresis. Constructs that appeared correct were

-35-

confirmed by DNA sequencing. Several rounds of the above protocol were required to obtain the SELP47E variant. In all cases this method resulted in the creation of a library consisting of variants spanning a range of subunits. This distribution ranged from 1 to 17 subunits. SELP47E-3 and SELP47R-3 were a result of this distribution. SELP47K-3
5 resulted from using the above methods to convert SELP47E-3 glutamic acids back to lysines.

Successful construct plasmids were used to transform *E. coli* MM294 using Lauryl Bertni (LB) plates containing 50 ppm kanamycin. Single colonies were picked and grown in 60 ml TM2 (recipe)+2% glucose, 50 ppm kanamycin in 500 ml fluted Erlenmeyer
10 flasks, 30 °C, 250 rpm, 16 hrs. Cell culture was supplemented with glycerol (10% v/v), and 1.5 ml aliquots were placed in cryovials and stored at -80 °C. Random vials were tested for contamination by incubating 10 µl inoculating loopfuls on LA+1.6% skim milk plates, 37°C, for 16 hrs. Integrity of the plasmids was also confirmed using plasmid purification and analysis using restriction enzyme digestion/gel electrophoresis as well as
15 DNA sequencing. Frozen cryovials were prepared using methods known in the art and used as seed stocks for subsequent culturing, protein production.

SELP47K-3, SELP47E-3 and SELP47R-3 variant proteins were produced in 14 L fed batch culture using standard SELP47K production protocols used above. Proteins were purified and characterized as follows: 40 grams of cell pastes collected from 14L
20 cultures were lysed via French-press followed by the addition of polyethyleneimine (0.8 w/v%). Centrifugation was used to separate the cellular debris from the cell extract. SELP polymers were precipitated from the cell extract using ammonium sulfate (30% saturation), collected by centrifugation and reconstituted in water. Residual salts were removed by dialysis against water and SELP polymers were lyophilized and characterized
25 using sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE). The SELP47K-3 species was excised from SDS-PAGE gels and further characterized, its identity confirmed, by LC-MS/MS. The molecular weight of the intact SELP47K-3 protein was also confirmed using MALDI-TOF/MS. - M3H+ 1641, M4H+ 1231 of silk-elastin unit. ~ 5 kDa

WO 2004/080426

PCT/US2004/007758

-36-

EXAMPLE 2

The purification and preparation of the polydispersed SELP47K silk-elastin protein polymer for application testing was carried out in the following steps. Cell separation from the fermentation broth was done using microfiltration. A cell disruption to make a
5 cell-extract was done using a French-press. The cell extract was separated from the cell-debris using polyethyleneimine and a filter-aid. The cell extract was mixed with ammonium sulfate to 25% saturation to precipitate the silk-elastin protein polymer. The precipitated silk-elastin protein polymer was further purified by dissolving it in water and precipitating it with ammonium sulfate.

10 In order to prepare a polydispersed silk-elastin protein polymer, the precipitated silk-elastin protein polymer was again dissolved in water and mixed with a trace amount of protease (BPN^Y217L) (Genencor International). The protease was then inactivated and destroyed by acid treatment. The polydispersed silk-elastin protein polymer was then ultrafiltered until the silk-elastin protein polymer solution reached an electrical
15 conductivity of 50 $\mu\text{S}/\text{m}^2$.

The polydispersed silk-elastin protein polymer solution was concentrated to 10 wt% and was lyophilized. The lyophilized polydispersed silk-elastin protein polymer powder was stored at -70°C until use. The lyophilized polydispersed silk-elastin protein was then dissolved in deionized water to a desired concentration for hair application
20 testing.

WO 2004/080426

PCT/US2004/007758

-37-

EXAMPLE 3

The purification and formation of monomeric unit of SELP47K (4920 kDA molecular weight) was carried out using monodispersed material of SELP47K produced as in Example 1. The monodispersed SELP47K was dissolved in water and was treated with
5 endopeptidase lysC protease (Sigma Chemical Company) specific for cleaving protein at lysine residue for 30 minutes at room temperature. The lysC protease was then inactivated and destroyed by acid treatment. The monomeric unit of SELP47K was then ultra-filtered until protein polymer solution conductivity reached $50 \mu\text{S}/\text{m}^2$.

EXAMPLE 4

10 Experiments were performed to determine the isoelectric point and cloud point of SELP47K (Example 1). The isoelectric point of SELP47K was determined in the following manner. A 5 mg/ml SELP47 K solution was electrophoresed using Isoelectric Focusing Electrophoresis (IEF) gel and Novex electrophoresis apparatus along with protein standards markers. Analysis of the gel revealed that SELP47K is a cationic protein
15 with an isoelectric point of 10.4. Analysis of the IEF gels for isoelectric point determination of other RSPP examples reported in Table 1 were found to be within (+/- 0.2) range.

The cloud point of SELP47K was determined in the following manner. 0.1% and 1% solutions of polydispersed SELP 47K (Example2) were prepared in three different
20 buffers: 50 mM acetate pH 5; 50 mM Tris pH 7; 50 mM Tris pH 9. A 0.5 M NaCl salt solution was prepared in water and salt containing solutions were prepared using this stock solution. Samples were placed in quartz cuvettes and the cloud point determination was carried out using a Cary 300 spectrophotometer equipped with a thermal program and multiple cuvettes configuration. Turbidity measurements were made at 300 nm and the
25 temperature was varied from 20-80 °C.

It was determined that increasing the concentration of SELP47K in water lowered the cloud point of the protein polymer. A 0.05% solution of protein remains soluble in water even at 80 °C. However, a 1% solution has a cloud point of 70 °C. It was also

WO 2004/080426

PCT/US2004/007758

-38-

determined that increasing pH from 5 to 9 also has a lowering effect on the cloud point of the protein polymer in very dilute solutions. At pH 5, the 0.1% solution remained soluble even at 80 °C. At pH 9, the cloud point of 0.1% protein solution dropped down to 60 °C. The 1% protein polymer solution showed similar cloud point of ~65 °C in the 5-9 pH range.

It was also determined that increasing the salt concentration also lowered the cloud point of the SELP47K protein polymer. In pH 5 buffer, 1% protein polymer solution has a cloud point of 75 °C. However, the cloud point was 65 °C with 0.2 M salt and below 60 °C when the salt concentration was raised to 0.5 M. The presence of a high salt concentration in dilute protein solutions had more affect on the cloud point than that of a relatively less dilute solution of protein polymer. A 0.1% solution had a cloud point of 50 °C when 0.5 M NaCl was present in the solution irrespective of pH. A 1% solution with 0.5 M salt has cloud point of 55° C irrespective of pH.

EXAMPLE 5

Experiments were performed to determine the glass transition temperature (T_g) and decomposition temperature of SELP47K. (Example 1) Approximately 10 mg of SELP47K material was crimped in an aluminum (Al) pan, cooled to < -150 °C, then heated to > 200 °C at 10 °C/min under a (helium) He atmosphere. The sample displayed an endothermic peak ranging from approximately 6 to 180 °C. This initially appeared to be followed by another endothermic region and the analysis was stopped near 225 °C. The sample was examined and had darkened significantly from the light golden starting color. Another sample of material was examined by TGA and found to have mass loss (~ 8%) from room temperature to approximately 200 °C, confirming the broad endotherm observed with the first sample.

A strip pf SELP47K was examined by using a dynamic mechanical analyzer (DMA) over the range of -150 to 200 °C. Three tan delta peaks were observed at -109, 70, and 189 °C. The peak at 189 °C coincided with a significant drop in modulus and a step change half-height in a differential scanning calorimeter (DSC) run in the same region initially was thought to be another endotherm suggesting the T_g of the material is

-39-

approximately 189 °C. Another DSC sample was run, pre-heating at 100 °C for 1 hour initially to remove volatiles. The mass loss endotherm was mostly removed, and a transition at 188 °C (half-height) remained. This run was stopped and the sample cooled and examined.

- 5 Based upon the results obtained, the material has a glass transition at approximately 189 °C. Since there is mass loss on heating (water loss), this transition would be for the "film" material. Material degradation also appears to start near T_g. The decomposition temperature of this SELP47K was found to be 332 °C.

EXAMPLE 6

- 10 Experiments were performed to determine tensile mechanical properties of SELP47K (Example 1 and 2). Samples of SELP47K were prepared by freeze-drying purified SELP47K solution. The subsequent powder was redissolved in water to a solids concentration of approximately 5, 10 or 20%. Furthermore these solutions were mixed with plasticizers to an effective concentration of 1-3%. Plasticizers included in this study
15 were polyethylene glycol 200, glycerin, and triethanolamine. 11 milliliters of these solutions were poured into a large (6 inch square) polyethylene weigh boats and the solutions were allowed to dry either in an oven at 37 °C or room temperature for 1 to 3 days. Subsequent films were successfully peeled from the weigh boat with a spatula without any damage to the polymer film.

- 20 The films were then cut into tensile specimens using a very sharp fabric cutting wheel. The specimens were approximately 6 cm long and 2.5 cm wide. The gauge length for these samples (length of sample between tensile testing clamps) was set to 3 cm and the thickness of the sample was measured at 5 points along the gauge length using a digital thickness coating instrument. The thickness of the samples was recorded as the average of
25 the 5 points and varied from 46.4 to 188.2 microns. Both the sample width and sample thickness were entered into an Instron Software program (Merlin) to enable it to calculate the tensile strength and tensile modulus.

WO 2004/080426

PCT/US2004/007758

-40-

The samples were loaded into the jaws of an Instron® Model 5564 apparatus making sure the gauge length was always set to 3 cm and that the sample was not under any static load or stress. The 2,500 Newton (2.5 KN) load cell was used since these samples exhibited loads between 55 and 150 Newtons at break. The results of the stress-strain measurements can be seen for four of the samples in Fig. 1. The elongation % of SELP47K was determined to be 8.4 for 20% SELP47K solution film made at room temperature (RM). The tensile strength was determined to be 65.9 megapascals (MPa), and the tensile modulus was determined to be 1716.50 MPa. The results of plastisizer-SELP47K films reveal strong correlation between concentration and mechanical properties measured. For 3% PEG200 containing SELP47K, the films elongation % reached 541. The tensile strength (MPa) and tensile strain (%) for each protein polymer tested are illustrated in Table 2.

15

20

WO 2004/080426

PCT/US2004/007758

-41-

Table 2a (Example 1 material)

Protein Polymer	Tensile Strength (MPa)	Tensile Strain (%)
SELP47K (10% sol., 37C)	62.06	3.6
SELP47K (10% sol., RM)	62.98	3.5
SELP47K (20% sol., 37C)	74.14	8.6
SELP47K (20% sol., RM)	65.90	8.4
SELP47K (05% sol., 37C)	19.83	2.6
SELP47K (05% sol., RM)	21.43	2.4
SELP47K (20% sol., RM) + 2% Glycerol	27.65	180.5
SELP47K (20% sol., RM) + 2% PEG 200	42.25	541.7
SELP47K (20% sol., RM) + 1% PEG 200	67.84	7.9
SELP47K (20% sol., RM) + 3% TEA	49.65	87
SELP47K (20% sol., RM) + 1% TEA	54.96	31
Nylon 6	50.56	50.6
Polystyrene	42.66	1.8
Low Density Polyethylene	49.98	375.4

Table 2b (Example 2 material)

<u>Protein Polymer</u>	<u>Tensile Strength (MPa)</u>	<u>Tensile strain (%)</u>
<u>SELP47K (10% sol., 37 C)</u>	<u>39.34</u>	<u>6.98</u>
<u>SELP47K (10% sol, 37C) + 1 % glycerol</u>	<u>25.12</u>	<u>15.75</u>

WO 2004/080426

PCT/US2004/007758

-42-

EXAMPLE 7

A SELP47K (Example 1) thin film was cast in the following manner. A 10% solution of SELP47K in water was prepared. The spin coater used for making thin film was from Special Coating Systems Inc., model number P6708-D (Indianapolis, USA). The DV-1000 program was used for spinning the film. SELP47K protein solution was poured over a 316 stainless steel plate that was placed on the spinner. The spinner was rotated at 2000 rpm for 30 seconds followed by rotation at 1000 rpm for 90 seconds. The thin film was allowed to dry for an hour and the thickness of the film was measured using a magnetometer. The average thickness of the SELP47K thin film was between 2-5 μm .

10 EXAMPLE 8

A SELP47K (Example 1) thick film was cast in the following manner. A 10% solution of SELP47K was prepared in deionized water (DI). This solution was poured to 1 mm in height into a plastic container and was allowed to set at 37 °C or room temperature for several hours leading to the formation of films. These films averaged between about 15 50-200 μm in thickness.

EXAMPLE 9

A SELP47K (Example 1) clear thick film was cast in the following manner. A 5% solution of SELP47K was prepared in DI water. This solution was poured to 1 mm thickness on a sheet of Saran WrapTM kept in a shallow plastic container. This container was maintained at room temperature overnight leading to the formation of a clear thick film of SELP47K. SELP47K film made though this method yielded excellent optical transparency. No X-ray diffraction pattern was obtained from this material, and, thus, the material of this film was amorphous in nature. A 1% water solution of SELP47K when investigated though circular dichroism spectroscopy, predicted 50% random coil and 50% 25 beta sheet structure.

WO 2004/080426

PCT/US2004/007758

-43-

EXAMPLE 10

Microscopy studies of SELP47K (Example 1 and 2 material) were performed. The morphology of Silk Elastin Protein (SELP47K) was characterized using various microscopy techniques including: 1) optical microscopy; 2) Field Emission Scanning
5 Electron Microscopy (FE-SEM); and 3) Atomic Force Microscopy (AFM). Four concentrations of the SELP material (13.5%, 1.35%, 0.135% and 0.0135%) were prepared in distilled water and spin-coated on to the surface of a plasma-treated wafer (hydrophilic surface) for examination. Figs. 2 and 3 illustrate microscopy pictures of SELP 47-K film showing self assembly into nanofilaments.

10 AFM and SEM examination indicated that there was a coating over the entire surface of the wafer. The coating appeared to be comprised of densely packed intertwining strands. Microscopy results indicated that the SELP47K coating, when concentrated, is comprised of densely packed, long, intertwined strands. Short,
15 single/double strands of material were found in areas where the coating appeared to be less concentrated. Individual strands of material could be seen in the less concentrated, gray areas on the wafer. SEM analysis of the films provide the basis of water-solubility of SELP47K films. A SELP47K film made out of 10% SELP47K solution gave a water-soluble film whereas a 20% solution film was water insoluble. In 10% SELP47K solution film, micellar droplet structures were seen responsible for its water solubility whereas 20%
20 SELP47K solution film did not have the micellar droplet structures in the film.

These strands ranged from 100 nm to 1 μ m in length and 20 – 45 nm in diameter. These experiments confirm that SELP47K can be spun into a film and this film when studied using microscopic studies reveal that film is composed non-woven web of filaments. The film is composed of nano filaments. Nano fibers of this protein can be thus
25 utilized in various applications, such as personal care products, due to their strength, advantage of very large surface to mass ratio and protein based targeting characteristics.

WO 2004/080426

PCT/US2004/007758

-44-

EXAMPLE 11

Rinse-off conditioners were prepared. The compositions for the conditioners are set forth in Table 3.

Table 3.

	Composition (Weight %)	Composition (Weight %)	Composition (Weight %)
<u>Ingredient</u>	<u>A</u>	<u>B</u>	<u>C</u>
Deionized Water	q.s. to 100	q.s. to 100	q.s. to 100
Hydroxyethylcellulose ¹	1.5	1.5	1.5
Cetearyl Alcohol ²	1.0	1.0	1.0
PEG-100 Stearate & Glyceryl Stearate ³	1.0	1.0	1.0
Hydrolyzed Silk Protein ⁴	5.0	---	---
Hydrolyzed Elastin Protein ⁵	---	4.0	---
Pure Polydisperse Silk- Elastin Protein ⁶	---	---	1.0
DMDM Hydantoin ⁷	0.2	0.2	0.2

5 ¹Natrosol® 250 MR available from Hercules of Wilmington, DE.

²Lanette O® available from Cognis Corp. of Hoboken, NJ.

³Arlacel® 165 available from Uniqema of Wilmington, DE.

⁴Crosilk 10,000 available from Croda of Parsippany, NJ. Equivalent weight % of protein

10 in conditioner A is 1.0%.

⁵Crolastin available from Croda of Parsippany, NJ. Equivalent weight % of protein in conditioner B is 1.0%.

⁶Silk Elastin protein prepared in accordance with Example 2. Equivalent weight % of protein

15 in conditioner C is 1.0%.

⁷Glydant® available from Lonza, Inc. of Fairlawn, NJ.

In order to prepare the compositions, deionized water was added to a mixing vessel and heated to 75°C. With moderate agitation, the hydroxyethyl cellulose was dispersed until fully dissolved. The heat was decreased to 60°C and cetearyl alcohol and PEG-100
20 stearate and glyceryl stearate were added. The heat was then decreased to 40°C and then

WO 2004/080426

PCT/US2004/007758

-45-

the protein for either the A, B, or C conditioner was added. The conditioner was mixed for 5-10 minutes and then DMDM hydantoin was added. The water loss was compensated for and the formulation was mixed for an additional 5 minutes. The final pH of the conditioner formulations was approximately 6-7.

- 5 Slightly bleached European human hair from International Hair Importer and Products Inc. was used for testing the conditioners in Example 3. A master hand of hair about eight inches in length was subdivided into a series of individual hair tresses. Each tress weighed about 2.5 grams. A 1/2 inch portion of the root end of the hair was trimmed and glued to a 2" X 2" plastic tab using DUCO CEMENT®. The final weight of each
- 10 tress was approximately 2.0 g. The cement was allowed to dry, and the hair tress was combed and trimmed to a length so that six inches of hair was extended below the bottom of the plastic tab. A hole was punched in middle of tab ~ 1/4" from the top. Each tress was rinsed for 15 seconds under 40°C tap water. Using a pipette, 1.0 g of a 9% sodium lauryl sulfate (active) solution was applied and lathered through the tress for 30 seconds.
- 15 The tress was rinsed for 30 seconds under running water. Excess water was removed from the tress by passing the tress between the index and middle fingers. The tresses were placed on a tray covered with paper towels and dried overnight. Each tress was hand combed three times with the narrow teeth of an ACE® comb and evaluated using the INSTRON "WET" and the INSTRON "DRY" COMBING procedures.
- 20 For tests involving the rinse-off conditioner, the hair tress was rinsed with tap water for 15 seconds at 40°C. The test conditioner was applied to the tress in the amount of 0.8 g and the tress was stroked for 30 seconds. The tress was rinsed for 30 seconds under tap water at 40°C. The excess water was removed by pulling the tress through the index and middle fingers. The tresses were allowed to dry separately on a paper towel,
- 25 overnight at room temperature. The tresses were combed once before performing the Instron study.

INSTRON COMBING is an industry recognized test for determining hair conditioning by the ease of wet combing and the ease of dry combing. The test employs an INSTRON strain gauge, which is equipped to measure the force required to comb the

WO 2004/080426

PCT/US2004/007758

-46-

hair. Conditioning performance is based on the ability of a particular hair treatment formulation such as a shampoo or a hair conditioner to reduce the force required to comb the hair with the INSTRON strain gauge. The force is reported as Average Combing Load (ACL). The lower ACL value, the better the conditioning effect imparted by the formulation being tested. Typically, ACL baselines are initially established with "untreated " tresses that have only been washed with the sodium lauryl sulfate solution. The effectiveness of a treatment can be expressed as the ACL of the treated tress or the % Reduction in ACL which is calculated by $((\text{untreated hair ACL} - \text{treated hair ACL}) / \text{untreated hair ACL}) * 100$.

According to the INSTRON WET COMBING method, the hair was first wet by dipping it in distilled water and then the hair was detangled by combing the tress three times. The tress was then retangled by dipping in distilled water three times. The excess water was removed by passing the tress through index and middle fingers twice. The tress was then placed on the hanger and INSTRON combed. The "retangle" and "Instron combing" steps were repeated until all data points were collected. An average combing force of three tresses was measured for each treatment. The results of the INSTRON WET COMBING test conducted with the conditioners of the present invention are shown below in Table 4. Letters in the % ACL Reduction column are used to indicate that the product is superior to other designated products at a 90% confidence level. The results show that the performance of the conditioner containing the polydisperse silk elastin compound of the present invention provided a small reduction in dry combing forces compared to the conditioners that contained the hydrolyzed silk and elastin proteins. The performance of these two conditioners actually showed an increase in combing forces compared to the untreated tress.

Table 4
INSTRON WET COMBING

Conditioner Tested	ACL Reduction (%) ^a
A	-22
B	-32
C	3 (A,B)

WO 2004/080426

PCT/US2004/007758

-47-

^aLetter designations indicate that the conditioner was significantly different from the specified conditioners at a 90% confidence level

According to the INSTRON DRY COMBING method, the hair was detangled by
5 combing the tress 3 times. Then the hair was retangled by swirling the tress clockwise 3
times and counter clockwise 3 times. The tress was then placed on the hanger and
INSTRON combed. The "retangle" and "Instron combing" steps were repeated until all
data points were collected. An average combing force of three tresses was measured for
each treatment. The results of the INSTRON DRY COMBING test conducted with the
10 conditioners are shown below in Table 5. The results show that the performance of the
silk elastin composition of the present invention provided a larger reduction in dry
combing forces compared to the conditioners that contained hydrolyzed silk protein and
hydrolyzed elastin proteins, respectively.

15 Table 5
INSTRON DRY COMBING

Conditioner Tested	ACL Reduction (%) ^a
A	20 (B)
B	-14
C	33 (A,B)

^aLetter designations indicate that the conditioner was significantly different from
the specified conditioners at a 90% confidence level

20 EXAMPLE 12

Additional rinse-off conditioners were prepared. The compositions of the rinse-off
conditioners are set forth in Table 6.

WO 2004/080426

PCT/US2004/007758

-48-

Table 6

	Composition (Weight %)	Composition (Weight %)	Composition (Weight %)
<u>Ingredient</u>	<u>A</u>	<u>B</u>	<u>C</u>
Deionized Water	q.s. to 100	q.s. to 100	q.s. to 100
Hydroxyethylcellulose	1.5	1.5	1.5
Cetearyl Alcohol	1.0	1.0	1.0
PEG-100 Stearate & Glyceryl Stearate	1.0	1.0	1.0
Pure Polydisperse Silk- Elastin Protein ¹	0.01	----	----
Pure Polydisperse Silk- Elastin Protein ¹	----	0.1	----
Pure Polydisperse Silk- Elastin Protein ¹	----	----	1.0
DMDM Hydantoin	0.2	0.2	0.2

¹ Silk-elastin protein prepared in accordance with Example 2.

- 5 INSTRON wet and dry combing tests were performed as described in conjunction with Example 3. The Instron combing results in Tables 7 and 8 show the effect of concentration for the pure, polydisperse silk elastin protein compound. Table 8 shows that the performance of the protein material provided a reduction in dry combing force at a concentration as low as 0.1% in the rinse-off conditioner formulation, thereby improving
- 10 the conditioning properties of the hair.

Table 7
INSTRON WET COMBING

Conditioner Tested	ACL Reduction (%) ^a
A	-25
B	-2
C	3

15

20

-49-

Table 8
INSTRON DRY COMBING

Conditioner Tested	ACL Reduction (%) ^a
A	-5
B	11
C	33 (A)

^aLetter designation indicates that the conditioner is significantly different to the specified conditioner at a 95% confidence level

5 EXAMPLE 13

Additional rinse-off conditioners were prepared. The compositions for the rinse-off conditioners are set forth in Table 9.

Table 9

<u>Ingredient</u>	Composition (Weight %)	Composition (Weight %)	Composition (Weight %)
	<u>A</u>	<u>B</u>	<u>C</u>
Deionized Water	q.s. to 100	q.s. to 100	q.s. to 100
Hydroxyethylcellulose	1.5	1.5	1.5
Cetearyl Alcohol	1.0	1.0	1.0
PEG-100 Stearate & Glyceryl Stearate	1.0	1.0	1.0
Pure Monodisperse Silk Elastin Protein ¹	0.01	----	----
Pure Monodisperse Silk Elastin Protein ¹	----	0.1	----
Pure Monodisperse Silk Elastin Protein ¹	----	----	1.0
DMDM Hydantoin	0.2	0.2	0.2

¹ Silk Elasin protein prepared in accordance with Example 1.

INSTRON wet and dry combing tests were performed in conjunction with the procedures in Example 3. The Instron combing results in Tables 10 and 11 show the effect of concentration for the pure, monodispersed silk elastin protein compound. Table
15 11 shows that the performance of the protein material provided a small reduction in dry

WO 2004/080426

PCT/US2004/007758

-50-

combing force at all concentrations in the rinse-off conditioner formulation, thereby improving the conditioning properties of the hair.

Table 10
INSTRON WET COMBING

Conditioner Tested	ACL Reduction (%) ^a
A	-17
B	-4
C	-49

^aLetter designation indicates that the conditioner was significantly different from the specified conditioner at a 95% confidence level

Table 11
INSTRON DRY COMBING

Conditioner Tested	ACL Reduction (%)
A	10
B	9
C	5

EXAMPLE 14

The present example illustrates an efficacy study to measure changes in the biomechanical properties of skin and the ability of a single application of SELP to diminish the visual effects of aging on skin.

Eleven impaneled subjects (age 35-70 years) showing clear signs of facial skin aging were provided with a non-moisturizing soap, (Aveeno ®), one week prior to study and were instructed to use the provided soap to wash the face and were required to refrain from excessive UV exposure. After a seven day conditioning phase, subjects were acclimated to the ambient temperature and humidity for thirty minutes. One side of the face of each subject was designated as the measurement side by random selection by computer. After 30-minute acclimation period, baseline digital photographs were taken,

WO 2004/080426

PCT/US2004/007758

-51-

and instrumental measurements, skin replica samples and visual evaluations were made. Photographs were taken, with a Canfield Scientific Camera, of the full face, the periorbital area, and the temporal side of eye.

Chromameter (Model CR300, Minolta) measurements were taken from the
5 periorbital area directly under the eye (Chardon et al 1991, Int. J. Cosm Science 13, 191-208). Silflo replicas (CuDerm Corporation, Dallas, Tx) were made from the periorbital area adjacent to the temporal side of the eye (Grove et al. 1898 J. am. Acad. Dermatol. 21, 631-637 and Sun et al 1997 IFSCC Conference Mexico). Cutometer (SEM575 Courage and Khazaka, Germany) measurements were taken at the periorbital area at the upper
10 portion of cheekbone. All measurements were performed in triplicate. An assessment of the relative depth and frequency of facial lines was performed by the method of Packman and Gans (J. Soc. Cosmet. Chem. 29, 79-90, 1978).

After baseline control data was collected, 5% SELP47K aqueous solution was applied to the face of each subject. A few drops of the SELP47K solution was dispensed
15 onto the fingertips and smoothed into the skin of the face. Subjects were retained in the lab for 30 minutes after application of the SELP47K aqueous solution, at which point a second set of measurements were made.

Image analysis of Silflo replicas was done. Specifically, the fine line factors, which approximate the number and/or length of facial lines in the 10 evaluated bands of
20 skin replica, were measured. At 30 minutes after application of SELP47K, fine line factors decreased by a statistically significant 13% ($p=0.05$). The statistical comparisons of the fine lines factors are summarized in Table 12.

WO 2004/080426

PCT/US2004/007758

-52-

Table 12

	Fine Line Factors	
	Baseline	30 Minutes Post Application
Mean	284	246
Variance	1584	2538
Observations	11	11
Pearson Correlation	0.16	
Hypothesized Mean Difference	0	
df	10	
t Stat	2.18	
P(T<=t) one-tail	0.03	
t Critical one-tail	1.81	
P(T<=t) two-tail	0.05	
t Critical two-tail	2.23	

Evaluation of superficial facial lines was performed by an expert evaluator using the scoring method described by Packman & Gans (1988). A 7% decrease in the superficial facial line score was assessed at the 30-minute post-treatment interval compared to baseline, which was statistically significant at the 91% confidence level ($p=0.09$). The statistical comparisons of these measured values are summarized in Table 13.

Table 13

	Superficial Facial Line Score	
	Baseline	30 Minutes Post Application
Mean	40	37
Variance	640	660
Observations	11	11
Pearson Correlation	0.98	
Hypothesized Mean Difference	0	
df	10	
t Stat	1.90	
P(T<=t) one-tail	0.04	
t Critical one-tail	1.81	
P(T<=t) two-tail	0.09	
t Critical two-tail	2.23	

WO 2004/080426

PCT/US2004/007758

-53-

Chromometer values for L^* , a^* , and b^* were read and total color value, E , was calculated for each subject. The average a^* value (which is directly related to the redness of the skin) decreased with statistical significance by 6% relative to baseline ($p=0.024$) as shown in Table 14.

5

Table 14

	Chromameter a^* Score	
	Baseline	30 Minutes Post Application
Mean	11.05	10.39
Variance	2.08	2.74
Observations	11	11
Pearson Correlation	0.86	
Hypothesized Mean Difference	0	
df	10	
t Stat	2.66	
P(T<=t) one-tail	1.20 E-02	
t Critical one-tail	1.81	
P(T<=t) two-tail	2.39 E-02	
t Critical two-tail	2.23	

Cutometer results showed an increase in U_v (a measure of viscoelasticity and delayed distention of the skin), indicating an increase in skin softness, and was assessed at a statistical confidence level of 91% ($p=0.09$) as shown in Table 15.

10

Table 15

	Cutometer U_v Score	
	Baseline	30 Minutes Post Application
Mean	0.09	0.106
Variance	0.000	0.001
Observations	11	11
Pearson Correlation	0.06	
Hypothesized Mean Difference	0	
df	10	
t Stat	-1.88	
P(T<=t) one-tail	0.04	
t Critical one-tail	1.81	
P(T<=t) two-tail	0.09	
t Critical two-tail	2.23	

WO 2004/080426

PCT/US2004/007758

-54-

In summary, the foremost effects of a single treatment with 5% aqueous solution of SELP47K, in this limited subject test population, were reductions in both the appearance and the measured number and /or length of fine lines in the periorbital area of the face as well as an indication of improved skin softness and the evenness of tone.

EXAMPLE 15

Personal care compositions comprising any of the compounds of the invention may be provided as follows:

MOISTURIZING BODYWASH

pH = 7 10

RAW MATERIAL (INCI Designation)	Amount	
Deionized Water	QS	15
Glycerin	4.0	
PEG-6 Caprylic/Capric Glycerides	4.0	20
Palm Kernel Fatty acids	3.0	
Sodium Laureth-3 Sulfate	45.0	
Cocamide MEA	3.0	
Sodium Lauroamphoacetate	25.0	25
Soyabean Oil	10.0	
Polyquaternium-10 (JR30M)	0.70	
Preservative, fragrance, color	QS	
Repeat Sequence Protein Polymer	1000ppm	

WO 2004/080426

PCT/US2004/007758

-55-

BODY WASH

BODY WASH RAW MATERIAL (INCI Designation)	pH 6.5 Amount	PH 7 Amount	PH 8 Amount
Deionized water	QS	QS	QS
Sodium Laureth Sulfate	12	15	8
Cocamidopropyl Betaine	8	10	15
DecylAPG Glucoside (Plantacare 2000 1)	0	2	1
Polyquaternium-10 (JR30M)	0.25	0	0
Polyquaternium-7 (Mackam 55)	0	0	0.7
Preservative, fragrance, color	QS	QS	QS
Repeat Sequence Protein Polymer	250ppm	500ppm	1000ppm

WO 2004/080426

PCT/US2004/007758

-56-

BODY LOTION	pH 7	pH 7	pH 7.5	pH 7
RAW MATERIAL (INCI Designation)	Amount	Amount	Amount	Amount
Deionized Water	QS	QS	QS	QS
Glycerine	8	8	10	12
Isohexadecane	3	3	3	6
Niacinamide	0	3	5	6
Isopropyl Isostearate	3	3	3	3
Polyacrylamide (and), Isoparaffin, (and) Laureth-7 (Sepigel 305 ²)	3	3	3	3
Petrolatum	4	4	4	2
Nylon 12	2	2	2.5	2.5
Dimethicone (DC1403 ⁴)	2	2	2.5	2.5
Sucrose Polycottonseed Oil	1.5	1.5	1.5	1.5
Stearyl Alcohol 97%	1	1	1	1
D Panthenol	1	1	1	1
DL-alphaTocophero Acetate	1	1	1	1
Cetyl Alcohol 95%	0.5	0.5	0.5	1
Behenyl Alcohol	1	1	1	0.5
Cetearyl Alcohol (and) Cetearyl GlucosidePL 68/50	0.4	0.4	0.5	0.5
Stearic Acid	0.15	0.15	0.15	0.15
PEG-100-Stearate (MYRJ 59 ¹)	0.15	0.15	0.15	0.15
Preservative, fragrance, color	QS	QS	QS	QS
Repeat sequence protein polymers	250 ppm	500 ppm	750 ppm	1000ppm

WO 2004/080426

PCT/US2004/007758

-57-

LEAVE-ON HAIR CONDITIONER

RAW MATERIAL (INCI Designation)	Amount
Deionized Water	QS
Isostearamidopropyl Morpholine Lactate	6.0
Hydroxyethylcellulose	1.0
Preservative, fragrance, color	QS
Repeat sequence protein polymers	1000ppm

5

CONDITIONING SHAMPOO

RAW MATERIAL (INCI Designation)	Amount
Deionized Water	QS
Sodium Laureth Sulfate 30%	27.0
Cocamidopropyl Betaine	3.7
Coco-Glucoside (and) Glyceryl Oleate	5.0
Coco-Glucoside (and) Glycol Distearate (and) Glycerine	3.0
Guar Hydroxypropyl Trimonium Chloride	0.1
Laureth-2	1.55
Fragrance, preservative, color	QS
Repeat sequence protein polymer	1000ppm

WO 2004/080426

PCT/US2004/007758

-58-

CREAM RINSE**pH 4**

RAW MATERIAL (INCI Designation)	Amount
Deionized Water	QS
Behentrimonium Chloride	2.0
Trilaureth-4 Phosphate	1.5
Cetyl alcohol	2.0
Citric acid	QS
Preservative, fragrance, color	QS
Repeat sequence protein polymer	1000ppm

5 NOURISHING HAIR CONDITIONER /TREATMENT**pH 6**

RAW MATERIAL (INCI Designation)	Amount
Deionized Water	QS
Behentrimonium Methosulfate (and) Cetyl Alcohol	4.0
Wheat germ oil	1.0
Cetyl alcohol	0.5
Propylene glycol	5.0
PEG-60 Lanolin	1.0
Panthenol	2.0
Lupin amino acids	1.0
Cocodimonium Hydroxypropyl Hydrolyzed Wheat Protein	1.0
Fragrance, preservative, color	QS
Repeat sequence protein polymer	1000ppm

WO 2004/080426

PCT/US2004/007758

-59-

ANTI-DANDRUFF SHAMPOO

RAW MATERIAL (INCI Designation)	Amount
Deionized Water	QS
Magnesium Aluminum Silicate	1.0
Hydroxypropyl Methylcellulose	0.8
Sodium Olefin Sulfate 40%	35.0
Lauramide DEA	4.0
Soyamide DEA	1.0
Quaternium-70 Hydrolyzed Collagen	2.0
Zinc Pyrithione 40%	4.0
Fragrance, preservative, color	QS
Repeat sequence protein polymer	1000ppm

5

10

15

20

WO 2004/080426

PCT/US2004/007758

-60-

**ULTRA-HIGH MOISTURIZING FACIAL
CREAM/LOTION EMULSION**

pH 7

pH 7

RAW MATERIAL (INCI Designation)	Amount	Amount
Deionized water	QS	QS
Glycerin	12	5
PEG 400 ⁶	0	10
Niacinamide	5	7
Isohexadecane	5	5
Dimethicone (DC1403 ³)	3	2
Polyacrylamide (and), Isoparaffin (and), Laureth-7 (Sepigel 305 ¹)	3	3
Isopropyl Isostearate	2	2
Polymethylsilsesquioxane	2	2
Cetyl Alcohol 95%	1	1
Sucrose polycottonseed oil	1	1
D-Panthenol	1	1
Vitamin E (Tocopherol Acetate)	1	1
Stearyl Alcohol 95%	0.5	0.5
Cetearyl Glucoside	0.5	0.5
Titanium dioxide	0.3	0.3
Stearic Acid	0.15	0.15
PEG-100-Stearate (Myrj 59 ⁴)	0.15	0.15
Preservative, fragrance, color	QS	QS
Repeat sequence protein polymer	250 ppm	1500 ppm

WO 2004/080426

PCT/US2004/007758

-61-

MOISTURIZING CREAM**pH 7****pH 7****pH 7.5**

RAW MATERIAL (INCI Designation)	Amount	Amount	Amount
Deionized water	QS	QS	QS
Glycerine	3	5	10
Petrolatum	3	3	0
Cetyl Alcohol 95%	1.5	1.5	1
Dimethicone Copolyol (DC 3225C ⁴)	2	2	2
Isopropyl Palmitate	1	1	0.5
Carbopolmer 954 (Noveon)	0.7	0.7	0.7
Dimethicone (DC 200/350cs ⁴)	1	1	1
Stearyl Alcohol 97%	0.5	0.5	1
Stearic acid	0.1	0.1	0.1
PEG-100-stearate (MYRJ 59 ¹)	0.1	0.1	0.1
Titanium Dioxide	0.3	0.3	0.3
Preservative, color, fragrance	QS	QS	QS
Repeat sequence protein polymer	50ppm	250ppm	1000ppm

WO 2004/080426

PCT/US2004/007758

-62-

FACIAL CLEANSING EMULSION

RAW MATERIAL (INCI Designation)	Amount
Water	69.05
Disodium EDTA	0.1
Glyceryl polymethacrylate (and) Propylene glycol	1.0
Glycerin	2.0
Xanthan gum	0.5
Hydroxyethyl cellulose	0.5
Tridecyl neopentanoate	4.0
Isocetyl stearate	6.0
Octyl palmitate	8.0
Glyceryl dilaurate	4.0
PEG-20 stearate	2.0
Glyceryl stearate (and) Laureth-23	2.0
Lauryl pyrrolidone	0.5
Chamomile extract	0.2
Aloe vera (200x)	0.05
Fragrance, preservative	QS
Repeat sequence protein polymer	0.1

WO 2004/080426

PCT/US2004/007758

-63-

SURFACTANT-BASED FACIAL CLEANSER

RAW MATERIAL (INCI Designation)	Amount
Water	62.55
Acrylates/Steareth-20 methacrylate copolymer	3.3
Disodium EDTA	0.05
Glycerin	2.0
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	0.5
Sodium laureth sulfate (30%)	17.5
Cetearyl alcohol	1.0
Shea butter	1.0
Disodium oleamido PEG-2 sulfosuccinate	5.0
Cocoamidopropyl Betaine	3.0
Sodium lauroyl sarcosinate	1.0
PEG-7 glyceryl cocoate	1.0
Isodecyl oleate	1.5
Peppermint extract	0.25
Eucalyptus extract	0.25
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.1

WO 2004/080426

PCT/US2004/007758

-64-

FACIAL EXFOLIATING GEL

RAW MATERIAL (INCI Designation)	Amount
Water	64.39
Disodium EDTA	0.05
Aloe vera (200x)	0.01
Benzophenone-4	0.25
Propylene glycol	1.0
Acrylates/C10-30 alkyl acrylate crosspolymer (2%)	20.0
Glyceryl polymethacrylate (and) Propylene glycol	10.0
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	1.0
Hydrogenated jojoba oil	1.5
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.05

WO 2004/080426

PCT/US2004/007758

-65-

FACIAL TONER

RAW MATERIAL (INCI Designation)	Amount
Water	93.99
Disodium EDTA	0.1
Butylene glycol	2.0
Aloe vera (200x)	0.1
Allantoin	0.1
Benzophenone-4	0.5
Witch hazel extract	0.3
Propylene glycol (and) Euphrasia extract (and) Golden seal root extract (and) Green tea extract	0.01
PEG-40 hydrogenated castor oil	0.5
Quaternium-22	0.5
Sandlewood oil	0.02
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.05

WO 2004/080426

PCT/US2004/007758

-66-

EXFOLIATING CREAM

RAW MATERIAL (INCI Designation)	Amount
Water	68.80
Disodium EDTA	0.1
PVM/MA decadiene crosspolymer	1.0
Butylene glycol	3.0
PEG-20 stearate	1.0
Glyceryl stearate (and) Laureth-23	2.0
Diisopropyl adipate	2.0
Isodecyl oleate	2.0
Isocetyl stearoyl stearate	5.0
Myristyl myristate	1.0
Glyceryl dilaurate	2.0
Sodium hydroxide, 10%	2.6
Glyceryl polymethacrylate (and) Propylene glycol	5.0
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	0.5
Hydrogenated jojoba oil	3.0
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.05

WO 2004/080426

PCT/US2004/007758

-67-

FACIAL MASK

RAW MATERIAL (INCI Designation)	Amount
Water	76.4
Disodium EDTA	0.1
Bentonite	12.5
Potassium C12-13 Alkyl Phosphate	5.0
Propylene glycol	4.0
Sodium Coco PG-Dimonium Chloride Phosphate	1.0
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.05

AFTER SHAVE BALM

RAW MATERIAL (INCI Designation)	Amount
Water	82.12
Disodium EDTA	0.1
Acrylate copolymer	2.0
Acrylate/Stareth-20 methacrylate copolymer	1.0
Propylene glycol	3.0
Sodium hydroxide (10%)	1.28
Glyceryl stearate (and) Cetyl alcohol (and) Stearyl alcohol (and) Behenyl alcohol (and) Palmitic acid (and) Stearic acid (and) Hydroxyethyl cetearamidopropyldimonium chloride	3.5
Isocetyl stearate	1.0
C12-15 alkyl lactate	1.5
Octyldodecyl stearate	3.0
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	1.0
Polyquaternium-11	0.5
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.1

WO 2004/080426

PCT/US2004/007758

-68-

EYE GEL

RAW MATERIAL (INCI Designation)	Amount
Water	89.14
VP/Acrylates/Lauryl methacrylate copolymer	0.5
Glycerin	5.0
Aminomethyl propanol	0.3
Aloe vera (200x)	0.05
Benzophenone-4	0.1
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	0.2
Butylene glycol (and) Water (and) Witch hazel extract	0.5
Butylene glycol (and) Water (and) Cucumber extract	0.3
PEG-40 hydrogenated castor oil	0.01
Acrylates/Beheneth-25 methacrylate copolymer	2.4
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	1.0

HIGH MELTING POINT LIPSTICK

RAW MATERIAL (INCI Designation)	Amount
Ozokerite wax	5.0
Candelilla wax	11.0
Octyl dodecanol	26.0
C30-45 alkyl methicone	5.0
Cyclomethicone	4.8
Petrolatum	3.0
Lanolin oil	9.0
Avocado oil	2.0
Oleyl alcohol	8.0
Pigment/cyclomethicone	25.0
Fragrance, preservative	QS
Repeat sequence protein polymer	1.0

WO 2004/080426

PCT/US2004/007758

-69-

LIPSTICK

RAW MATERIAL (INCI Designation)	Amount
Candelilla wax	9.1
Isopropyl myristate	9.6
Lanolin	5.0
Beeswax	4.0
Paraffin (130/135)	2.0
Ozokerite wax	2.5
Castor oil	53.7
Carnauba wax	1.5
Pigments	7.5
Mineral oil	4.0
Fragrance, preservative	QS
Repeat sequence protein polymer	1.0

LIP GLOSS

RAW MATERIAL (INCI Designation)	Amount
Bis-diglyceryl polyacyladipate-1	43.5
Bis-diglyceryl polyacyladipate-2	10
Glycerol ricinoleate	10
Polyisobutene 1000	13
Lanolin wax	10
Candelilla wax	2.5
Mica (and) titanium dioxide	3
d-Panthenol	5
Fragrance, preservative, color	QS
Repeat sequence protein polymer	1.0

WO 2004/080426

PCT/US2004/007758

-70-

LIP GLOSS WITH SUNSCREEN

RAW MATERIAL (INCI Designation)	Amount
Triisostearyl Citrate	58.4
Candelilla wax	8.0
Myristyl lactate	7.5
Microcrystalline wax	5.0
Carnauba wax	2.0
Diisopropyl dimmer dilinoleate	10.0
Mica (and) Bismuth oxychloride (and) Carmine	6.0
Zinc oxide (microfine)	2.0
Fragrance, preservative	QS
Repeat sequence protein polymer	1.0

LIP BALM

RAW MATERIAL (INCI Designation)	Amount
Petrolatum	47.3
Isopropyl lanolate	6.0
Ozokerite wax	16.5
Candelilla wax	4.5
Diisopropyl dilinoleate	25.0
Retinyl palmitate	0.5
Tocopherol acetate	0.2
Fragrance, preservative	QS
Repeat sequence protein polymer	1.0

WO 2004/080426

PCT/US2004/007758

-71-

WATERPROOF MASCARA

RAW MATERIAL (INCI Designation)	Amount
Water	49.45
Propylene glycol	3.0
Triethanolamine (99%)	3.1
Acrylates/Octylacrylamine Copolymer	5.0
Diisostearoyl trimethylolpropane siloxy silicate	5.0
Candelilla wax	4.5
Beeswax	5.5
Ozokerite wax	2.0
Carnauba wax	1.0
Cetyl alcohol	3.0
Stearic acid	5.0
Iron oxides	11.0
Fragrance, preservative	QS
Repeat sequence protein polymer	2.0

ANHYDROUS WATERPROOF MASCARA

RAW MATERIAL (INCI Designation)	Amount
C9-11 Isoparaffin	30.95
Polyethylene	11.0
Candelilla wax	4.5
Hydroxylated lanolin	0.25
Pentaerythrityl rosinate	2.0
Zinc stearate	1.0
Silica silylate	1.0
Petroleum distillates (and) Quaternium-18 hectorite (and) Propylene Carbonate	35.0
Iron oxides	12.0
Fragrance, preservative	QS
Repeat sequence protein polymer	2.0

WO 2004/080426

PCT/US2004/007758

-72-

WATER-BASED MASCARA

RAW MATERIAL (INCI Designation)	Amount
Water	43.32
Polyvinyl pyrrolidone (K30)	2.0
Hydroxyethyl cellulose	1.0
Triethanolamine (99%)	2.0
Disodium EDTA	0.1
Iron Oxides	10.0
Stearic acid	4.5
Glyceryl monostearate	2.0
Beeswax	7.0
Carnauba wax	4.5
Hydroxylated lanolin	1.0
Acrylates copolymer	20.0
Fragrance, preservative	QS
Repeat sequence protein polymer	2.0

LIQUID EYELINER

RAW MATERIAL (INCI Designation)	Amount
Water	50 – 70
Gellant	0.5 – 1.5
Wetting agent(s)	1 – 3
Polyol	4 – 8
Colorants	10 – 20
Alcohol	5 – 10
Film former	3 – 8
Fragrance, preservative	QS
Repeat sequence protein polymer	2.0

WO 2004/080426

PCT/US2004/007758

-73-

NAIL ENAMEL

RAW MATERIAL (INCI Designation)	Amount
Solvent(s)	40 – 70
Resin(s)	10 – 20
Plasticizer	3 – 12
Gellant	0 – 2
Colorants	0 – 3
Fragrance, preservative	QS
Repeat sequence protein polymer	2.0

CUTICLE TREATMENT

RAW MATERIAL (INCI Designation)	Amount
Petrolatum	34.8
Beeswax	7.2
Ozokerite wax	4.3
Candelilla wax	4.0
Cocoa butter	1.0
Shea butter	1.0
Glyceryl dilaurate	8.0
Ethylhexyl palmitate	20.0
C12-15 alkyl lactate	6.0
PVP/Eicosene copolymer	3.5
Diisopropyl adipate	2.0
Octinoxate	7.5
Retinyl palmitate	0.1
Tocopherol acetate	0.1
Fragrance, preservative, color, pH adjust	QS
Repeat sequence protein polymer	0.5

WO 2004/080426

PCT/US2004/007758

-74-

PRESSED POWDER FORMULATIONS

	Loose Powder	Pressed Powder	Foundation	Blush	Eye Shadow
Fillers (eg. talc, mica, seracite)	70-95	40-90	40-80	40-80	40-80
Compression aids (eg. metallic soaps, waxes)	0-2.5	3-5	2-5	2-7	2-10
Texture enhancers	10-40	5-40	10-40	10-40	0-30
Colorants (eg. Iron oxides, organic colors)	2-10	2-10	5-20	2-10	1-40
Pearls (eg. Titanated mica, bismuth oxychloride)	0-20	0-10	0-5	0-20	0-60
Wet binder (eg. Octyldodecyl stearyl stearate, di-PPG3 myristyl ether adipate, isocetyl stearate, cetyl dimethicone)	0-3	2-5	2-5	3-10	3-15
Dry binder (eg. calcium silicate, kaolin)	0-2	2-5	2-5	3-8	3-8
Fragrance, preservative	QS	QS	QS	QS	QS
Repeat sequence protein polymer	2	2	2	2	2

WO 2004/080426

PCT/US2004/007758

-75-

WATER-IN-OIL FOUNDATION

RAW MATERIAL (INCI Designation)	Amount
Cyclomethicone	12.0
Dimethicone	5.0
Cyclomethicone (and) Dimethicone copolyol	20.0
Laureth-7	0.5
Colorants (hydrophobically treated)	2.2
Titanium dioxide (and) methicone	8.5
Talc (and) methicone	3.3
Water	37.2
Sodium chloride	2.0
Propylene glycol	8.0
Fragrance, preservative	QS
Repeat sequence protein polymer	1

5

10

15

WO 2004/080426

PCT/US2004/007758

-76-

ANHYDROUS MAKEUP STICK

RAW MATERIAL (INCI Designation)	Amount
Ozokerite wax	5.6
Polyethylene	5.3
Glyceryl dilaurate	5.5
Isostearyl neopentanoate	13.0
Octyldodecyl stearoyl stearate	12.0
Myristyl myristate	11.0
Ethylhexyl methoxycinnamate	7.5
PVP/Eicosene copolymer	0.5
Tocopherol acetate	0.1
Dimethicone (and) Trimethylsiloxysilicate	8.0
Cyclopentasiloxane	9.0
Mica	10.0
Talc	1.7
Titanium dioxide (and) Isopropyl titanium triisostearate	8.86
Iron oxides (and) Isopropyl titanium triisostearate	1.94
Fragrance, preservative	QS
Repeat sequence protein polymer	1.0

WO 2004/080426

PCT/US2004/007758

-77-

WATER-IN-SILICONE FOUNDATION

RAW MATERIAL (INCI Designation)	Amount
Cetyl dimethicone copolyol	0.45
Polyglycerol-4 isostearate (and) Cetyl dimethicone copolyol (and) Hexyl laurate	1.75
Polyalkylene polysiloxane copolymer	0.9
Cetyl dimethicone	0.9
Beeswax	0.7
Castor wax (and) hydrogenated castor oil	0.35
Octyl palmitate	7.0
Cyclomethicone	7.95
Phenyl trimethicone	2.2
Titanium dioxide (and) Caprylyl silane	7.5
Iron oxides (and) Caprylyl silane	1.1
Talc (and) Caprylyl silane	3.8
Cyclomethicone	7.95
Dimethicone	1.3
Water	49.55
Sodium chloride	0.5
Propylene glycol	5.3
Fragrance, preservative	QS
Repeat sequence protein polymer	0.5

WO 2004/080426

PCT/US2004/007758

-78-

OIL-IN-WATER FOUNDATION

RAW MATERIAL (INCI Designation)	Amount
Water	59.85
Polyvinylpyrrolidone	5.0
Magnesium aluminum silicate	2.0
Xanthan gum	0.4
Trisodium EDTA	0.05
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	1.0
Polysorbate 20	1.0
Kaolin	0.8
Butylene glycol	4.0
Titanium dioxide	6.05
Iron oxides	1.15
Dimethicone	6.0
Ethylhexyl palmitate	2.0
PEG/PPG-25/25 Dimethicone	1.0
Tocopherol acetate	0.1
Retinyl palmitate	0.1
Silica	3.0
Cyclopentasiloxane	5.0
Fragrance, preservative	QS
Repeat sequence protein polymer	1.0

WO 2004/080426

PCT/US2004/007758

-79-

SUNSCREEN FORMULAS

RAW MATERIAL (INCI Designation)	Amount	
	SPF ~25	SPF~15
Water	52.65	71.10
PVM/MA decadiene crosspolymer	0.5	0.5
Butylene glycol	3.0	3.0
Disodium EDTA	0.1	0.1
PEG-20 stearate	1.5	1.5
Glyceryl stearate (and) Laureth-23	2.0	2.0
Isostearyl neopentanoate	1.0	1.0
Ethylhexyl palmitate	2.0	2.0
Glyceryl dilaurate	0.5	0.5
Octinoxate	7.5	7.5
Oxybenzone	2.0	2.0
Ethylhexyl salicylate	3.0	3.0
Sodium hydroxide (10%)	1.3	1.3
Glyceryl polymethacrylate (and) Propylene glycol	3.0	3.0
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	0.5	0.5
Styrene/Acrylates copolymer (27% solids)	18.45	-
Fragrance, preservative	QS	QS
Repeat sequence protein polymer	0.5	0.5

WO 2004/080426

PCT/US2004/007758

-80-

VERY WATER-RESISTANT SUNSCREEN FORMULAS

RAW MATERIAL (INCI Designation)	Amount	
	SPF ~12	SPF~22
Water	65.16	46.53
Acrylates copolymer	3.0	3.0
Disodium EDTA	0.1	0.1
Butylene glycol	2.0	2.0
Glyceryl polymethacrylate (and) Propylene glycol (and) PVM/MA copolymer	1.0	1.0
Butylated PVP	0.05	0.05
Glyceryl stearate (and) Behenyl alcohol (and) Palmitic acid (and) Stearic acid (and) Lecithin (and) Lauryl alcohol	4.5	4.5
Tricontanyl PVP	1.0	1.0
Octyl palmitate	2.0	2.0
Octinoxate	7.5	7.5
Oxybenzone	2.0	2.0
Ethylhexyl salicylate	3.0	3.0
Tridecyl neopentanoate	3.0	3.0
Glyceryl dilaurate	0.5	0.5
Sodium hydroxide (10%)	1.89	1.89
Cyclopentasiloxane	2.0	2.0
Butylene glycol	1.0	1.0
Styrene/Acrylates copolymer (27% solids)	18.45	-
Fragrance, preservative	QS	QS
Repeat sequence protein polymer	0.5	0.5

WO 2004/080426

PCT/US2004/007758

-81-

WATER-IN-SILICONE SUNSCREEN

RAW MATERIAL (INCI Designation)	Amount
Cetyl PEG/PPG-15/15 butyl ether dimethicone	2.0
Mineral oil	3.0
Ethylhexyl palmitate	1.0
Ethylhexyl salicylate	5.0
Hydrogenated castor oil	0.5
Beeswax	0.5
Octinoxate	7.5
Polyethylene	1.0
PEG-30 dipolyhydroxystearate	2.0
Cyclopentasiloxane	5.0
Dimethicone	5.0
Sodium chloride	0.6
Acrylates/C12-22 alkylmethacrylate copolymer	0.5
Water	66.4
Fragrance, preservative	QS
Repeat sequence protein polymer	0.5

WO 2004/080426

PCT/US2004/007758

-82-

CLAIMS

1. A personal care composition comprising an effective amount of a repeat sequence protein polymer and a physiologically acceptable carrier or excipient.

2. The composition of claim 1, wherein the repeat sequence protein polymer
5 comprises a repeating amino acid sequence unit derived from elastin, collagen, abductin, byssus, flagelliform silk, dragline silk, gluten high molecular weight subunit, titin, fibronectin, leminin, gliadin, glue polypeptide, ice nucleating protein, keratin, mucin, RNA polymerase II, resalin or a mixture thereof.

3. The composition of claim 1, wherein the repeat sequence protein polymer
10 formula comprises:

$$T_y[(A_n)_x(B)_b(A'_n)_{x'}(B')_{b'}(A''_n)_{x''}]_i T'_{y'}$$

wherein:

T and T' each comprise an amino acid sequence of from about 1 to about 100 amino acids, wherein the amino acid sequence of T' is the same as or different from
15 the amino acid sequence of T;

y and y' are each an integer from 0 to 1, wherein the integer of y' is the same as or different from the integer of y;

A, A' and A'' are each individual repeating sequence units comprising from about 3 to about 30 amino acids, wherein the amino acid sequence of A' and the amino
20 acid sequence of A'' are the same as or different from the amino acid sequence of A;

n, n', and n'' are integers of at least 2 and not more than 250;

x, x' and x'' are each 0 or an integer of at least 1, wherein each integer varies to provide for at least 30 amino acids in the A', A' and A'' individual repeating sequence units, and wherein the integer of x' and the integer of x'' are the same as or
25 different from the integer of x;

WO 2004/080426

PCT/US2004/007758

-83-

B and B' each comprise an amino acid sequence of from about 4 to about 50 amino acids, wherein the amino sequence of B' is the same as or different from the amino acid sequence of B;

b and b' are each an integer from 0 to 3, wherein the integer of b' is the same as or
5 different from the integer of b;

i is an integer from 1 to 100.

4. The composition of claim 3, wherein T and T' comprise an amino acid sequence from about 1 to about 60 amino acids

5. The composition of claim 3, wherein T and T' comprise an amino acid
10 sequence with fewer than 20% of the total number of amino acids in the repeat sequence protein polymer.

6. The composition of claim 3, wherein B comprises an amino acid sequence with a biological or chemical function or activity.

7. The composition of claim 3, wherein B' comprises an amino acid sequence
15 with a biological or chemical function or activity.

8. The composition of claim 3, wherein i is an integer from 1 to 50.

9. The composition of claim 3, wherein i is an integer from 1 to about 30.

10. The composition of claim 3, wherein A, A', and A" comprise SEQ ID NO. 1, SEQ ID NO. 3, SEQ ID NO. 4, SEQ ID NO. 5, SEQ ID NO. 6, SEQ ID NO. 7, SEQ ID
20 NO. 8, SEQ ID NO. 9, SEQ ID NO. 10, SEQ ID NO. 11, SEQ ID NO. 12, SEQ ID NO. 13, SEQ ID NO. 14, SEQ ID NO. 15, SEQ ID NO. 16, SEQ ID NO. 17, SEQ ID NO. 18, SEQ ID NO. 20 or a combination thereof.

11. The composition of claim 3, wherein A, A', and A" comprise SEQ ID NO. 1, SEQ ID NO. 3 or a combination thereof.

WO 2004/080426

PCT/US2004/007758

-84-

12. The composition of claim 1, wherein the repeat sequence protein polymer comprises from about 0.001 weight % to about 10 weight % of the composition.
13. The composition of claim 1, wherein the repeat sequence protein polymer comprises from about 0.01 weight % to about 5 weight % of the composition.
- 5 14. The composition of claim 1, wherein the repeat sequence protein polymer comprises from about 0.01 weight % to about 1 weight % of the composition.
15. The composition of claim 1, wherein the repeat sequence protein polymer comprises SEQ ID NO. 19.
16. The composition of claim 1, wherein the personal care composition
10 comprises a hair care composition, a skin care composition, a nail care composition, a cosmetic composition, an oral care composition, or an over-the-counter pharmaceutical composition .
17. The composition of claim 16, wherein the personal care composition is a
15 hair care composition selected from t shampoo, conditioner, anti-dandruff treatment, styling aids, styling conditioner, hair repair or treatment serum, lotion, cream, pomade, and chemical treatments.
18. The composition of claim 16, wherein the personal care composition is a
20 skin care composition selected from moisturizing body wash, body wash, antimicrobial cleanser, skin protectant cream, body lotion, facial cream, moisturizing cream, facial cleansing emulsion, surfactant-based facial cleanser, facial exfoliating gel, anti-acne treatment, facial toner, exfoliating cream, facial mask, after shave balm and sunscreen.
19. The composition of claim 16, wherein the personal care composition is a skin care composition comprises topically applied over-the-counter drugs comprising anti-fungal treatments, anti-acne treatments, skin protectants, and antiperspirants.
- 25 20. The composition of claim 16, wherein the personal care composition is a cosmetic composition comprising a makeup composition.

WO 2004/080426

PCT/US2004/007758

-85-

21. The composition of claim 16, wherein the personal care composition is a cosmetic composition selected from eye gel, high-melting point lipstick, lipstick, lip gloss, lip balm, mascara, eyeliner, pressed powder formulation and foundation.

22. The composition of claim 16, wherein the personal care composition is a
5 nail care composition selected from nail enamel, cuticle treatment, nail polish, nail treatment, and polish remover.

23. The composition of claim 16, wherein the personal care composition is an oral care composition selected from toothpaste, mouth rinse, breath freshener, and whitening treatment

10 24. The composition of claim 17, wherein the hair composition is a shampoo selected from conditioning shampoo and anti-dandruff shampoo.

25. The composition of claim 17, wherein the hair care composition is a conditioner selected from leave-on hair conditioner, cream rinse and nourishing hair conditioner treatment.

15 26. The composition of claim 17, wherein the hair care composition is a chemical treatment selected from permanent waves, permanent and temporary relaxers, permanent hair dyes, semi-permanent hair dyes, and temporary hair dyes.

27. The composition of claim 18, wherein the skin care composition is a
20 sunscreen selected from non-water-resistant sunscreen, very water-resistant sunscreen and water-in-silicone sunscreen.

28. The composition of claim 21, wherein the cosmetic composition is a mascara selected from non-waterproof mascara, waterproof mascara, volumizing mascara, lengthening mascara, curling mascara, anhydrous waterproof mascara, water-based mascara, and eyelash or eyebrow treatment.

WO 2004/080426

PCT/US2004/007758

-86-

29. The composition of claim 21, wherein the cosmetic composition is a pressed powder formulation selected from loose powder, blush, eye shadow, and bronzing powder.

30. The composition of claim 21, wherein the cosmetic composition is a
5 foundation selected from water-in-oil foundation, water-in-silicone foundation, oil-in-water foundation, anhydrous makeup stick, and cream-to-powder foundation.

31. A personal care composition comprising an effective amount of a repeat
sequence protein polymer with the balance of the composition comprising one or more
compounds from the group of carriers, excipients, liposomes, active ingredients, biological
10 or botanical products, humectants, emollients, surfactants, thickening agents, silicone
components, organic sunscreens, preservatives, neutralizing agents, perfumes or pigments.

32. A process for making a personal care composition comprising combining
an effective amount of a repeat sequence protein polymer with a physiologically
acceptable carrier or excipient to obtain a personal care composition.

15 33. The process according to claim 32, further comprising combining a
compound from the group of carriers, excipients, liposomes, active ingredients,
humectants, emollients, surfactants, thickening agents, silicone components, organic
sunscreens, preservatives, neutralizing agents, perfumes or pigments to the composition.

WO 2004/080426

1/3

PCT/US2004/007758





Fig. 1

WO 2004/080426

2/3

PCT/US2004/007758

Fig. 2




WO 2004/080426

3/3

PCT/US2004/007758

Fig. 3



WO 2004/080426

PCT/US2004/007758

SEQUENCE LISTING

<110> Cuevas, William A.
Kumar, Manoj

<120> Use of Repeat Sequence Protein Polymers in Personal Care
Compositions

<130> DOC 0057 PA / GC792-4 / DC 5074

<150> 60/454,077
<151> 2003-03-12

<160> 31

<170> PatentIn version 3.2

<210> 1
<211> 6
<212> PRT
<213> Unknown

<220>
<223> silk-like protein

<400> 1
Ser Gly Ala Gly Ala Gly
1 5

<210> 2
<211> 53
<212> PRT
<213> Unknown

<220>
<223> silk fibroin protein

<400> 2
Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala
1 5 10 15
Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala
20 25 30
Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
35 40 45
Gly Ala Ala Gly Tyr
50

<210> 3
<211> 5
<212> PRT
<213> Unknown

<220>
<223> Elastin-like protein

WO 2004/080426

PCT/US2004/007758

<400> 3

Gly val Gly val Pro
1 5

<210> 4
<211> 10
<212> PRT
<213> Unknown

<220>
<223> Abductin-like protein

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> X = any amino acid

<400> 4

Gly Gly Phe Gly Gly Met Gly Gly Gly Xaa
1 5 10

<210> 5
<211> 5
<212> PRT
<213> Unknown

<220>
<223> Byssus-like protein

<400> 5

Gly Pro Gly Gly Gly
1 5

<210> 6
<211> 6
<212> PRT
<213> Unknown

<220>
<223> Gluten-like protein

<400> 6

Pro Gly Gln Gly Gln Gln
1 5

<210> 7
<211> 9
<212> PRT
<213> Unknown

<220>
<223> Gluten-like protein

<400> 7

WO 2004/080426

PCT/US2004/007758

Gly Tyr Tyr Pro Thr Ser Pro Gln Gln
1 5

<210> 8
<211> 3
<212> PRT
<213> Unknown

<220>
<223> Gluten-like protein

<400> 8

Gly Gln Gln
1

<210> 9
<211> 28
<212> PRT
<213> Unknown

<220>
<223> Titin-like protein

<400> 9

Pro Pro Ala Lys Val Pro Glu Val Pro Lys Lys Pro Val Pro Glu Glu
1 5 10 15

Lys Val Pro Val Pro Val Pro Lys Lys Pro Glu Ala
20 25

<210> 10
<211> 12
<212> PRT
<213> Unknown

<220>
<223> Extensin-like protein

<400> 10

Ser Pro Pro Pro Pro Ser Pro Lys Tyr Val Tyr Lys
1 5 10

<210> 11
<211> 4
<212> PRT
<213> Unknown

<220>
<223> Fibronectin-like protein

<400> 11

Arg Gly Asp Ser
1

WO 2004/080426

PCT/US2004/007758

<210> 12
<211> 5
<212> PRT
<213> Unknown

<220>
<223> Gliadin

<400> 12

Pro Gln Gln Pro Tyr
1 5

<210> 13
<211> 5
<212> PRT
<213> Unknown

<220>
<223> Glue polypeptide

<400> 13

Pro Thr Thr Thr Lys
1 5

<210> 14
<211> 8
<212> PRT
<213> Unknown

<220>
<223> Ice nucleating protein

<400> 14

Ala Gly Tyr Gly Ser Thr Gly Thr
1 5

<210> 15
<211> 8
<212> PRT
<213> Unknown

<220>
<223> Keratin

<400> 15

Tyr Gly Gly Ser Ser Gly Gly Gly
1 5

<210> 16
<211> 5
<212> PRT
<213> Unknown

<220>
<223> Keratin

WO 2004/080426

PCT/US2004/007758

<400> 16

Phe Gly Gly Gly Ser
1 5

<210> 17

<211> 6

<212> PRT

<213> Unknown

<220>

<223> Mucin

<400> 17

Thr Thr Thr Pro Asp Val
1 5

<210> 18

<211> 7

<212> PRT

<213> Unknown

<220>

<223> RNA polymerase II

<400> 18

Tyr Ser Pro Thr Ser Pro Ser
1 5

<210> 19

<211> 780

<212> PRT

<213> Unknown

<220>

<223> SELP 47K

<400> 19

Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val
1 5 10 15

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro
20 25 30

Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
35 40 45

Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala
50 55 60

Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly
65 70 75 80

WO 2004/080426

PCT/US2004/007758

Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Pro
85 90 95

Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Ala Gly Ala
100 105 110

Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala
115 120 125

Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
130 135 140

Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Pro Gly Val Gly Pro
145 150 155 160

Gly Val Gly Pro Gly Val Gly Pro Gly Ala Gly Ala Gly Ser Gly Ala
165 170 175

Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
180 185 190

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
195 200 205

Lys Gly Val Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
210 215 220

Gly Val Gly Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
225 230 235 240

Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val
245 250 255

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro
260 265 270

Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
275 280 285

Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala
290 295 300

Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly
305 310 315 320

Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Pro
325 330 335

WO 2004/080426

PCT/US2004/007758

Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Ala Gly Ala
 340 345 350
 Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala
 355 360 365
 Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
 370 375 380
 Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Pro Gly Val Gly Pro
 385 390 395 400
 Gly Val Gly Pro Gly Val Gly Pro Gly Ala Gly Ala Gly Ser Gly Ala
 405 410 415
 Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
 420 425 430
 Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
 435 440 445
 Lys Gly Val Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
 450 455 460
 Gly Val Gly Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
 465 470 475 480
 Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val
 485 490 495
 Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro
 500 505 510
 Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
 515 520 525
 Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala
 530 535 540
 Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly
 545 550 555 560
 Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Pro
 565 570 575
 Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Ala Gly Ala
 580 585 590

WO 2004/080426

PCT/US2004/007758

Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala
595 600 605

Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
610 615 620

Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Pro Gly Val Gly Pro
625 630 635 640

Gly Val Gly Pro Gly Val Gly Pro Gly Ala Gly Ala Gly Ser Gly Ala
645 650 655

Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
660 665 670

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
675 680 685

Lys Gly Val Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
690 695 700

Gly Val Gly Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
705 710 715 720

Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val
725 730 735

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro
740 745 750

Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro Gly Val Gly Pro
755 760 765

Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser
770 775 780

<210> 20

<211> 3

<212> PRT

<213> Unknown

<220>

<223> Abductin-like protein

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> X = any amino acid

<220>

WO 2004/080426

PCT/US2004/007758

<221> MISC_FEATURE
<222> (3)..(3)
<223> X = any amino acid

<400> 20

Gly Xaa Xaa
1

<210> 21
<211> 39
<212> DNA
<213> Unknown

<220>
<223> Primer 5' to 3' Glutamic Acid conversion

<400> 21
gggagttggt gtacctggag aagggtgtcc gggggtagg 39

<210> 22
<211> 39
<212> DNA
<213> Unknown

<220>
<223> Primer 3' to 5' Glutamic Acid conversion

<400> 22
ccctcaacca catggacctc ttccacaagg ccccatcc 39

<210> 23
<211> 39
<212> DNA
<213> Unknown

<220>
<223> Primer 5' to 3' Arginine Conversion

<400> 23
gggagttggg gtacctggac gaggtgttcc gggggtagg 39

<210> 24
<211> 39
<212> DNA
<213> Unknown

<220>
<223> Primer 3' to 5' Arginine Conversion

<400> 24
gggagttggg gtacctggac gaggtgttcc gggggtagg 39

<210> 25
<211> 884
<212> PRT
<213> Unknown

<220>

WO 2004/080426

PCT/US2004/007758

<223> SELP 47E-13

<400> 25

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
 1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
 20 25 30

Met Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
 35 40 45

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
 50 55 60

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
 65 70 75 80

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
 85 90 95

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
 100 105 110

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
 115 120 125

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
 130 135 140

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
 145 150 155 160

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
 165 170 175

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
 180 185 190

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
 195 200 205

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
 210 215 220

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
 225 230 235 240

WO 2004/080426

PCT/US2004/007758

Gly val Gly val Pro Gly val Gly val Pro Gly val Gly val Pro Gly
245 250 255

Glu Gly val Pro Gly val Gly val Pro Gly val Gly Glu Pro Gly val
260 265 270

Gly val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
275 280 285

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly val Gly val Pro
290 295 300

Gly val Gly val Pro Gly val Gly val Pro Gly val Gly val Pro Gly
305 310 315 320

Glu Gly val Pro Gly val Gly val Pro Gly val Gly Glu Pro Gly val
325 330 335

Gly val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
340 345 350

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly val Gly val Pro
355 360 365

Gly val Gly val Pro Gly val Gly val Pro Gly val Gly val Pro Gly
370 375 380

Glu Gly val Pro Gly val Gly val Pro Gly val Gly Glu Pro Gly val
385 390 395 400

Gly val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
405 410 415

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly val Gly val Pro
420 425 430

Gly val Gly val Pro Gly val Gly val Pro Gly val Gly val Pro Gly
435 440 445

Glu Gly val Pro Gly val Gly val Pro Gly val Gly Glu Pro Gly val
450 455 460

Gly val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
465 470 475 480

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly val Gly val Pro
485 490 495

WO 2004/080426

PCT/US2004/007758

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
500 505 510

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
515 520 525

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
530 535 540

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
545 550 555 560

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
565 570 575

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
580 585 590

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
595 600 605

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
610 615 620

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
625 630 635 640

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
645 650 655

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
660 665 670

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
675 680 685

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
690 695 700

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
705 710 715 720

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
725 730 735

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
740 745 750

WO 2004/080426

PCT/US2004/007758

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
755 760 765

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
770 775 780

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
785 790 795 800

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
805 810 815

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
820 825 830

Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Glu Pro Gly Val
835 840 845

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
850 855 860

Ala Gly Ala Met Asp Pro Gly Arg Tyr Gln Asp Leu Arg Ser His His
865 870 875 880

His His His His

<210> 26
<211> 246
<212> PRT
<213> Unknown

<220>
<223> SELP 47R-3

<400> 26

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
20 25 30

Met Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
35 40 45

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
50 55 60

Pro Gly Arg Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
65 70 75 80

WO 2004/080426

PCT/US2004/007758

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
85 90 95

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
100 105 110

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
115 120 125

Pro Gly Arg Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
130 135 140

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
145 150 155 160

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
165 170 175

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
180 185 190

Pro Gly Arg Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
195 200 205

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
210 215 220

Ser Gly Ala Gly Ala Met Asp Pro Gly Arg Tyr Gln Asp Leu Arg Ser
225 230 235 240

His His His His His His
245

<210> 27
<211> 244
<212> PRT
<213> Unknown

<220>
<223> SELP 47K-3

<400> 27

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
20 25 30

WO 2004/080426

PCT/US2004/007758

Met Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
35 40 45

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
50 55 60

Lys Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
65 70 75 80

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
85 90 95

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
100 105 110

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
115 120 125

Lys Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
130 135 140

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
145 150 155 160

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro
165 170 175

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
180 185 190

Lys Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val
195 200 205

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
210 215 220

Ala Gly Ala Met Asp Pro Gly Arg Tyr Gln Asp Leu Arg Ser His His
225 230 235 240

His His His His

<210> 28
<211> 246
<212> PRT
<213> Unknown

<220>
<223> SELP 47E-3

WO 2004/080426

PCT/US2004/007758

<400> 28

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
20 25 30

Met Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
35 40 45

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
50 55 60

Pro Gly Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
65 70 75 80

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
85 90 95

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
100 105 110

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
115 120 125

Pro Gly Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
130 135 140

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
145 150 155 160

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
165 170 175

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
180 185 190

Pro Gly Glu Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
195 200 205

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
210 215 220

Ser Gly Ala Gly Ala Met Asp Pro Gly Arg Tyr Gln Asp Leu Arg Ser
225 230 235 240

His His His His His His
245

WO 2004/080426

PCT/US2004/007758

<210> 29
 <211> 1063
 <212> PRT
 <213> Unknown

<220>
 <223> Collagen-like protein

<400> 29

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
 1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
 20 25 30

Met Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala His Gly Pro Ala
 35 40 45

Gly Pro Lys Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly
 50 55 60

Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala
 65 70 75 80

Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly
 85 90 95

Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly
 100 105 110

Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro
 115 120 125

Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln
 130 135 140

Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly
 145 150 155 160

Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro
 165 170 175

Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala
 180 185 190

Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly
 195 200 205

WO 2004/080426

PCT/US2004/007758

Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala
 210 215 220

Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly
 225 230 235 240

Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly
 245 250 255

Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala His Gly Pro
 260 265 270

Ala Gly Pro Lys Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala His
 275 280 285

Gly Pro Ala Gly Pro Lys Gly Ala His Gly Pro Ala Gly Pro Lys Gly
 290 295 300

Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro
 305 310 315 320

Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala
 325 330 335

Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly
 340 345 350

Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala
 355 360 365

Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly
 370 375 380

Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly
 385 390 395 400

Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro
 405 410 415

Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln
 420 425 430

Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly
 435 440 445

Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro
 450 455 460

WO 2004/080426

PCT/US2004/007758

Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala
465 470 475 480

Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly
485 490 495

Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala
500 505 510

Gln Gly Pro Ala Gly Pro Gly Gly Ala His Gly Pro Ala Gly Pro Lys
515 520 525

Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala His Gly Pro Ala Gly
530 535 540

Pro Lys Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala Gln Gly Pro
545 550 555 560

Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln
565 570 575

Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly
580 585 590

Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro
595 600 605

Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala
610 615 620

Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly
625 630 635 640

Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala
645 650 655

Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly
660 665 670

Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly
675 680 685

Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro
690 695 700

Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln
705 710 715 720

WO 2004/080426

PCT/US2004/007758

Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly
725 730 735

Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro
740 745 750

Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala
755 760 765

Gly Pro Gly Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala His Gly
770 775 780

Pro Ala Gly Pro Lys Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala
785 790 795 800

His Gly Pro Ala Gly Pro Lys Gly Ala Gln Gly Pro Ala Gly Pro Gly
805 810 815

Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly
820 825 830

Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro
835 840 845

Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln
850 855 860

Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly
865 870 875 880

Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro
885 890 895

Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala
900 905 910

Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly
915 920 925

Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala
930 935 940

Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly
945 950 955 960

Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly
965 970 975

WO 2004/080426

PCT/US2004/007758

Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro
 980 985 990

Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly Gly Ala Gln
 995 1000 1005

Gly Pro Ala Gly Pro Gly Gly Ala Gln Gly Pro Ala Gly Pro Gly
 1010 1015 1020

Gly Ala His Gly Pro Ala Gly Pro Lys Gly Ala His Gly Pro Ala
 1025 1030 1035

Gly Pro Lys Met Asp Pro Gly Arg Tyr Gln Leu Ser Ala Gly Arg
 1040 1045 1050

Tyr His Tyr Gln Leu Val Trp Cys Gln Lys
 1055 1060

<210> 30
 <211> 1038
 <212> PRT
 <213> Unknown

<220>
 <223> SELP 67K

<400> 30

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
 1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
 20 25 30

Met Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
 35 40 45

Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly
 50 55 60

Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly
 65 70 75 80

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
 85 90 95

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
 100 105 110

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
 115 120 125

WO 2004/080426

PCT/US2004/007758

Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
 130 135 140
 Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
 145 150 155 160
 Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
 165 170 175
 Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val
 180 185 190
 Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly
 195 200 205
 Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
 210 215 220
 Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
 225 230 235 240
 Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
 245 250 255
 Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
 260 265 270
 Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val
 275 280 285
 Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly
 290 295 300
 Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
 305 310 315 320
 Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
 325 330 335
 Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
 340 345 350
 Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly
 355 360 365
 Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly
 370 375 380

WO 2004/080426

PCT/US2004/007758

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
385 390 395 400

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
405 410 415

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
420 425 430

Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
435 440 445

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
450 455 460

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
465 470 475 480

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val
485 490 495

Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly
500 505 510

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
515 520 525

Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
530 535 540

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
545 550 555 560

Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
565 570 575

Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val
580 585 590

Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly
595 600 605

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
610 615 620

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
625 630 635 640

WO 2004/080426

PCT/US2004/007758

Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
645 650 655

Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly
660 665 670

Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly
675 680 685

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
690 695 700

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
705 710 715 720

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
725 730 735

Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
740 745 750

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
755 760 765

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
770 775 780

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val
785 790 795 800

Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly
805 810 815

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
820 825 830

Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
835 840 845

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
850 855 860

Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
865 870 875 880

Val Gly Val Pro Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val
885 890 895

WO 2004/080426

PCT/US2004/007758

Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly
900 905 910

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
915 920 925

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
930 935 940

Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
945 950 955 960

Gly Val Gly Val Pro Gly Lys Gly Val Pro Gly Val Gly Val Pro Gly
965 970 975

Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly
980 985 990

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
995 1000 1005

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Met Asp
1010 1015 1020

Pro Gly Arg Tyr Gln Asp Leu Arg Ser His His His His His His
1025 1030 1035

<210> 31
<211> 965
<212> PRT
<213> Unknown

<220>
<223> SELP 58

<400> 31

Met Asp Pro Val Val Leu Gln Arg Arg Asp Trp Glu Asn Pro Gly Val
1 5 10 15

Thr Gln Leu Asn Arg Leu Ala Ala His Pro Pro Phe Ala Ser Asp Pro
20 25 30

Met Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
35 40 45

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
50 55 60

WO 2004/080426

PCT/US2004/007758

Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly
65 70 75 80

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
85 90 95

Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val
100 105 110

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
115 120 125

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
130 135 140

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
145 150 155 160

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
165 170 175

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
180 185 190

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
195 200 205

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
210 215 220

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
225 230 235 240

Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly
245 250 255

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
260 265 270

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly
275 280 285

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
290 295 300

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val
305 310 315 320

Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly
565 570 575

WO 2004/080426

PCT/US2004/007758

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
580 585 590

Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
595 600 605

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
610 615 620

Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly
625 630 635 640

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
645 650 655

Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val
660 665 670

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
675 680 685

Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly
690 695 700

Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
705 710 715 720

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly
725 730 735

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
740 745 750

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro
755 760 765

Gly Val Gly Val Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly
770 775 780

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
785 790 795 800

Ala Gly Ser Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly
805 810 815

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
820 825 830

WO 2004/080426

PCT/US2004/007758

Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Ala Gly Ala Gly
835 840 845

Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
850 855 860

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Val Gly Val Pro Gly Val
865 870 875 880

Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly
885 890 895

Val Pro Gly Val Gly Val Pro Gly Val Gly Val Pro Gly Val Gly Val
900 905 910

Pro Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly
915 920 925

Ala Gly Ser Gly Ala Gly Ala Gly Ser Gly Ala Gly Ala Gly Ser Met
930 935 940

Asp Pro Gly Arg Tyr Gln Leu Ser Ala Gly Arg Tyr His Tyr Gln Leu
945 950 955 960

Val Trp Cys Gln Lys
965